




WOODPECKER
NATURALLY INSPIRED FLOORING

2022

THE
LINE

the line
the descendants of a common ancestor,
a row of trees,
a cord used in measuring or levelling,
a long, thin mark made by a pencil, pen or chalk,
a similar mark cut in a hard surface,
a crease in the palm,
a plan of; making or doing,
an assembly of merchandise,
a course of conduct, action, explanation,
a person's trade or occupation,
a furrowed brow,
a stock of goods of a particular type,
the field of one's special knowledge,
a short letter or note,
a row of persons waiting in turn.

Follow the line from us to you.



From generations past,
for generations to come
- we are Woodpecker.

From our family to yours... for 100 years.

Woodpecker

DESIGN PANELS
SANDRINGHAM | ROYAL OAK



Contents

WHY WOODPECKER

- 6 THE WOODPECKER STORY
- 9 100 YEAR WARRANTY
- 11 PLANTING PROGRAMME
- 14 FINISHES & GRADING

FLOORING

SOLID WOOD RANGE

- 18 YORK

ENGINEERED WOOD RANGE

- 26 SALCOMBE
- 34 HARLECH
- 48 GOODRICH
- 62 CHEPSTOW
- 76 BERKELEY
- 90 DESIGN PANELS

BAMBOO RANGE

- 98 OXWICH

STRATEX® RANGE

- 106 BRECON
- 122 LYNTON

- 130 RANGE AT A GLANCE
- 138 DESIGN IDEAS

-
- ### ACCESSORIES
- 139 TRIMS AND FINISHING TOUCHES
 - 148 UNDERLAYS
 - 150 ADHESIVES & SEALANTS
 - 152 CLEANING & CARE

-
- ### EXPERT KNOWLEDGE
- 156 TECHNICAL INFO

THE WOODPECKER STORY

FOR 100 YEARS
GONE BY, AND FOR
100 YEARS TO COME

The Woodpecker story began in 1973 in a small garage in Bristol. Started by Bruce Ker, the passion for wood and commitment to deliver the absolute best has been handed down through 3 generations to his son Nelson, and grandson Darwyn today.



From humble beginnings...



FROM OUR FAMILY TO YOURS

Today our extended family of 'Woodpeckers' are committed to those same values, genuinely caring and doing whatever it takes to make the difference for you and your family.





YOU CAN WATCH THE
WOODPECKER STORY VIDEO HERE: 
woodpeckerflooring.co.uk/the-woodpecker-story



THE STORY OF OUR FLOORS

It begins long before this. Every Woodpecker floor started its life over 100 years ago, and tells its own story that will stand the test of time in your home.



FOR 100 YEARS

Our promise to you is that your Woodpecker floor will continue its story, bringing life and warmth to your home – guaranteed for 100 years to come.



LEAVING A LEGACY...

Planting the Woodpecker forest of tomorrow and becoming carbon negative by 2030 – this is our commitment to building a better future that generations to come will be proud of.

From 100 years past and for 100 years to come, Woodpecker is with you every step of the way on your journey to find the perfect floor.

...from our family
to yours for 100 years.





100 YEAR WARRANTY
WOODPECKER

WOODPECKER PROMISE



Peace of mind
for generations to come.

We are proud to bring you our unique
Woodpecker 100 year warranty.

Our passion for and knowledge of wood means
we are confident that our wooden floors
endure more than a lifetime, increasing in depth
and character over time as their story becomes
a part of your home.

Carefully grown, selected and crafted by
experts, every plank is a reflection of our
commitment to you and your home.

Our promise to you – beautiful floors and
peace of mind, for 100 years.

Please note that our Stratex® floors continue
to offer a market leading 25 year warranty

For T&Cs, please visit:
woodpeckerflooring.co.uk/100yearwarranty





WOODPECKER PROMISE

SERIOUS ABOUT SUSTAINABILITY

Leaving a legacy,
for generations to come.

As a company with a rich past and benefiting every day from the commitments our ancestors made, nothing is more important to us than the legacy we leave for future generations.

Of course, all our wood is sourced from responsibly managed, sustainable forests and is fully certified to the highest standards with FSC® or PEFC certifications. We also offer elegant bamboo floors, the most sustainable choice which grows even faster after cutting and regenerates every 5 years!

But that's not enough for us. We strive to improve and do our best every day, and so have committed to Woodpecker being the first carbon negative flooring company by 2030.

That commitment starts today - we are creating the Woodpecker forest of tomorrow, planting 50,000 oak saplings over 200 acres in the beautiful countryside around our home in South Wales, to ensure future generations continue to be inspired by the beauty of nature, past, present and future.

We are the ancestors of tomorrow; our legacy matters.

CHOOSE WHAT'S PERFECT FOR YOU AND YOUR HOME

FLOORING RANGES

SOLID

Solid, traditional structure

Each board is precision milled from a single piece of timber

Robust and characterful



ENGINEERED

Advanced construction for extra stability and versatility

Engineered cross-layered core with a substantial real wood top layer



BAMBOO

The most sustainable choice

Replenishes in just 5 years

Elegant and exceptionally hard



STRATEX®

Incredibly stable mineral composite core plus built in underlay

Waterproof embossed vinyl and real wood options





CHEPSTOW | ANTIQUE OAK 240MM

ENHANCING THE WOOD

FINISHES & GRADING

Helping you choose the look that's right for you.

Clean

Character

SQUARE

A clean overall finish.

This clean finish suits modern décor very well and can help a room to feel bigger than it is.

BEVELLED

A traditional and ordered feel.

The depth of the slight groove between planks will depend on the type and grade of wood you choose.

DISTRESSED

A charming timeworn appeal.

Each plank is hand distressed on its edges to produce small grooves and undulations that are reminiscent of a naturally aged floor.

HANDSCRAPED

An aged look, smooth to the touch.

The irregular ridges and grooves that result add depth and definition to the wood's surface, creating an aged look that's distinctive by eye yet smooth to touch.

A NOTE ABOUT THESE SYMBOLS

Some of our floors are available in more than one finish. To help you identify the right one for you we've added these symbols to the product codes.



= Oiled finish



= Lacquered finish




= Part of our 'Signature' range



COLOUR VARIATION

All Woodpecker floors feature beautiful colour variations which naturally occur in real wood. Due to this authentic effect, please be aware that your floor could include a range of lighter and darker shades, as shown in the picture to the left. More intense colour variations may also be found where sapwood is present in the wood. Sapwood is the younger, outer part of the tree which is lighter in colour than the retired, inner part which makes up the majority of our wood floors.



BRUSHED

Lightly brushed to reveal the harder grain

The finish subtly highlights the wood's texture both to the eye and to the touch.



OILED

Oil brings wood to life

Each board is coated between five and seven times, and cured with a UV lamp between coats to produce a protective, muted appearance.



MATT
LACQUERED

For the look of an oiled finish without the upkeep

With a dull satin sheen, the surface is smooth and hardwearing, as is true to a lacquer, but has the appearance of an oiled floor.



LACQUERED

Extremely smooth and glossy

Five to seven coats of lacquer go onto each board, which is UV cured at each stage of the process.



UNFINISHED

Natural and authentic

Unfinished boards are supplied with knots pre-filled and are pre-sanded ready for final filling and finishing as you wish.



SMOKED

Smoking for greater character

Smoking is a traditional process which intensifies colour variation and contrast, making the light wood lighter and the dark wood darker.



SELECT

This grade looks natural yet consistent, with few knots. Up to 10% sapwood can be found in select boards along with considerable grain and colour variation, but only small knots.



RUSTIC

More of the wood's character shines through in rustic floors - including large knots, dark streaks, filled knots and colour variation. Again, up to 10% sapwood is likely in this grade.



EXTRA RUSTIC

Very little is graded out in the extra rustic category. Large knots, splits, cracks and any amount of sapwood make this a characterful choice, and mean that your floor will be all that more distinctive.

TIMELESS QUALITY

SOLID WOOD FLOORING

For a naturally beautiful floor
that will last a lifetime.

Nothing beats solid wood for a timeless natural texture and a robust feel beneath your feet. For a solid, traditional structure, each board is precision milled from a single piece of timber that has been carefully chosen and graded then machined with tongue and groove on all edges, to ensure a perfect fit when installed.

Our solid wood boards are carefully selected and harvested from responsibly managed forests in Europe and the Americas. From a traditional rustic oiled finish to a striking hand-scraped statement board, our solid wood range offers choices to complement both contemporary and traditional interior design.



The mark of
responsible forestry

All of our wood floors
are responsibly sourced
with FSC® certification.



YORK | TAWNY OAK



PEACE OF MIND FOR
GENERATIONS TO COME



SELECTING THE BEST

The wood's natural texture is enhanced through a range of different finishes, each of which brings out a beautiful element of its character – distinctive grain patterns, mellow hues and rustic textures.





YORK | TAWNY OAK

SOLID WOOD FLOORING

YORK

TIMELESS, ROBUST
AND CHARACTERFUL

A premium solid wood board
in a range of elegant finishes

YORK

Timeless, Robust and Characterful

YORK | WHITE WASHED OAK

RUSTIC | BRUSHED & MATT LACQUERED

36-YVW-150 | 150 x 300-1600mm | 1.98m²/pack **£90m²**

Fall in love with this whitewashed wood floor which evokes the sandy tones and airy feel of the seaside. Bright flaxen hues meet striking knots and a subtly textured surface. Fresh in style and perfect for light interiors, making a lovely base for contemporary living areas.

YORK | SELECT OAK

SELECT | BRUSHED & MATT LACQUERED

36-YBM-150 | 150 x 300-1600mm | 1.98m²/pack **£105m²**

Celebrating the beauty found in timber's more refined details, the wood for these boards is handpicked to ensure only small knots are included and a consistent look is captured across the floor. Each board is carefully brushed to enhance its natural textures and finished with matt lacquer for a subtle satin sheen.

JOINT TYPE



Tongue & Groove | Easiloc

FITTING METHOD



Glued | Secret Nail | Floated

LENGTH



Random length planks

HEATING



Underfloor | Tog Rating

THICKNESS



18mm

EDGES



Bevelled

WARRANTY




100 YEARS

SOLID AND TRADITIONAL

Solid oak flooring is strong and durable with wonderful character. Classic knots and swirling grain patterns create a traditional look with beautiful texture. As oak ages, it also becomes richer and deeper in colour, making a floor that seems to live and mature with you.

YORK | RUSTIC OAK

RUSTIC | OILED | LACQUERED





© 36-YRO-150 | 150 x 300-1600mm | 1.98m²/pack **£85m²**

Ⓛ 36-YOR-150 | 150 x 300-1600mm | 1.98m²/pack **£85m²**

A traditional floor with rich honey hues and a medley of plank lengths laden with elegant knots, dark streaks and filled cracks to create a wonderfully classic feel. And the boards' natural details are enhanced by five coats of natural oil or subtle lacquer for a choice of beautiful finishes.

YORK | TAWNY OAK

RUSTIC | BRUSHED & MATT LACQUERED



36-YTO-150 | 150 x 300-1600mm | 1.98m²/pack **£90m²**

Presenting subtle brushed-out grain textures accentuated with rich burnt coffee tones, this elegant floor enhances the natural light and beauty of any room setting. The variety of plank lengths adds interest to this traditional yet surprisingly contemporary solid wood floor.

© = Oiled finish

Ⓛ = Lacquered finish

S = Part of our 'Signature' range


AUTHENTICALLY CRAFTED

WOODPECKER *Signature*

Our Signature range is composed of extraordinary boards which have been lavished with extra care, character and technique. The discerning choice, these floors are distinctive and special.


YORK | ANTIQUE OAK

RUSTIC | LACQUERED



36-YOA-150 | 150 x 300-1600mm | 1.98m²/pack **£105m²**

Full of character, with a painstakingly hand scraped surface, this beautiful floor will draw everyone's attention. Copper hues flow throughout the oak's rich chocolate colours, enhanced with subtle shade variations and a lacquered finish for an irresistible shine and added protection. A medley of plank lengths and bevelled edges add an even more antiqued feel to this striking solid wood floor.



Wondering how much floor to order? $\text{ROOM SIZE (M}^2\text{)} / \text{PACK SIZE (M}^2\text{)} + 5-10\% = \text{NO. OF PACKS NEEDED. EASY.}$

YORK | ANTIQUE OAK

SOLID WOOD | YORK

Signature

THE BEAUTY OF REAL WOOD

ENGINEERED WOOD FLOORING

For added versatility and practicality

With a substantial real wood top layer, Woodpecker engineered wood flooring combines the beautiful character and style of a solid timber floor with the exceptional performance of our engineered board construction.

The central core of cross-layered softwood or plywood adds stability and is underpinned by a veneer layer for balance. This advanced construction minimises expansion, contraction and warping, and makes these beautiful boards suitable for modern day living and underfloor heating.*

Offering you the classic good looks of solid wood as well as outstanding versatility, engineered wood flooring is a perfect and practical solution for today's homes.

* Please note that Berkeley Century Pine is not suitable for underfloor heating.



The mark of
responsible forestry


All of our wood floors
are responsibly sourced
with FSC® certification.



BERKELEY | CATHEDRAL OAK



PEACE OF MIND FOR
GENERATIONS TO COME

A photograph of a forest path with sunlight filtering through the trees and two people walking in the distance.

RESPONSIBLE SOURCING

An engineered construction with a top layer of real wood also helps the tree to go further, extending the resources available while providing a more stable floor. And of course, all our wood is responsibly sourced and fully certified.





ENGINEERED WOOD FLOORING

SALCOMBE

MUTED NATURAL HUES

A wide range of subtle shades
bringing the light and vitality of
the seashore into your home

SALCOMBE | SEASHORE OAK
PHOTO CREDIT | @SHNORDIC

SMOKED FOR INTENSITY

Most of our Salcombe floors are specially treated using an age-old process called “smoking” which allows our experts to subtly enhance or intensify their beautiful tones by awakening the natural tannins in the timber. Offering more complexity than a simple stained board, these smoked colours add a new dimension to your floor.

SALCOMBE | SEASHORE OAK
PHOTO CREDIT | @SHNORDIC

JOINT TYPE



Tongue & Groove



Easiloc

FITTING METHOD



Glued



Secret Nail



Floated

LENGTH



Packs include cut lengths

HEATING



Underfloor



Tog Rating

THICKNESS



14mm

WEAR LAYER



3mm

EDGES



Bevelled

WARRANTY



100 YEARS

SALCOMBE

Muted Natural Hues

SALCOMBE | CHALKED OAK


RUSTIC | BRUSHED & MATT LACQUERED

45-VAW-020 | 190x1900mm | 2.888m²/pack **£85m²**

Capturing the charm of a rustic beach-house floor with its bright white hues and ashen undertones, each board sings with texture. Smoked and then matt lacquered for a truly elegant satin sheen to enhance the light and airy feel that this floor brings to your home.

SALCOMBE | SEASHORE OAK

RUSTIC | BRUSHED & MATT LACQUERED

45-WDG-013 | 190x1900mm | 2.888m²/pack **£85m²**


A contemporary and engaging floor which evokes the pastel hues found at the seaside with ashen, honey and cocoa shades flowing throughout every board. Smoked to add further depth and intensity, the colours and textures will conjure up the fresh feeling of a beach retreat.



Have you heard about our planting scheme? VISIT WOODPECKERFLOORING.CO.UK/PLANTING

SALCOMBE | NATURAL OAK
3-STRIP

RUSTIC | LACQUERED



46-WOU-003 | 182x2190mm | 3.587m²/pack **£70m²**

Carefully constructed from narrower strips of oak combined into a single board, brushed to bring out its rustic charm and lacquered for a classic sheen. A more affordable choice to enjoy all the character expected from real oak with a contemporary twist.

SALCOMBE | NATURAL OAK

RUSTIC | BRUSHED & MATT LACQUERED



45-WGO-000 | 190x1900mm | 2.888m²/pack **£85m²**

Showcasing the unadorned natural beauty of oak, this floor features the rich golden hues and rustic details that make this species eternally popular. Each board is subtly brushed to bring out its intricate textures and matt lacquered to add a resilient satin sheen.

JOINT TYPE



Tongue & Groove



Easiloc

FITTING METHOD



Glued



Secret Nail



Floated

LENGTH



Packs include cut lengths

HEATING



Underfloor



Tog Rating

THICKNESS



14mm

WEAR LAYER



3mm

EDGES



Bevelled

WARRANTY



100 YEARS



SALCOMBE | NATURAL OAK

NATURAL BEAUTY

Brushed by hand to enhance the beauty of the natural grain and accentuate the beautiful texture.

SALCOMBE | DUNE OAK

RUSTIC | BRUSHED & MATT LACQUERED



45-WGR-016 | 190x1900mm | 2.888m²/pack

£85m²

Featuring a distinctive assortment of ash tones with subtle hints of dusky rose, this floor elicits thoughts of the multi-tonal dunes edging our favourite beaches. These smoked boards are gently brushed to bring out beautiful detail and are matt lacquered for an elegant sheen.



Have you heard about our 100 year warranty? [READ ABOUT OUR PROMISE ON PAGE 9](#)



EXPERT ADVICE AND IDEAS

Wood flooring can completely transform the look of your room, but which look would you love? Be inspired by the expert flooring ideas, style tips and trend guides that you'll find on our Inspiration Blog and subscribe to our Inspiration Journal for all the latest ideas.

woodpeckerflooring.co.uk/inspiration

SALCOMBE | MOONBEAM OAK

JOINT TYPE



Tongue & Groove



Easiloc

FITTING METHOD



Glued



Secret Nail



Floated

LENGTH



Packs include cut lengths

HEATING



Underfloor



Tog Rating

THICKNESS



14mm

WEAR LAYER



3mm

EDGES



Bevelled

WARRANTY



100 YEARS

SALCOMBE | MOONBEAM OAK


RUSTIC | BRUSHED & MATT LACQUERED

45-WVAB-014 | 190x1900mm | 2.888m²/pack **£85m²**

Reminiscent of the delicate rays of dim light which rest on the sea's surface at night, each board is defined by ashen hues and subtle blue tinges permeating throughout the oak's grain patterns. Smoked, brushed and matt lacquered for an exquisite finish.

SALCOMBE | SHADOW OAK

RUSTIC | BRUSHED & MATT LACQUERED

45-WAC-017 | 190x1900mm | 2.888m²/pack **£85m²**

Celebrating the beauty of dark and dramatic chocolate hues, dimmed with ashen hints and defined by white grain patterns, this handsome floor will bring a sense of warmth to your room. The natural textures and tones are further enhanced through smoking, subtle brushing and a matt lacquered finish.





HARLECH | FEATHER OAK
GOODRICH | FEATHER OAK

ENGINEERED WOOD FLOORING

HARLECH

CLASSIC OAK TONES

The timeless elegance of
oak across a spectrum
of striking finishes



HARLECH | BISCOTTI OAK
GOODRICH | BISCOTTI OAK

DESIGN IDEA

For an elegant and seamless transition from one floor to another, or to add a design statement into a parquet design, why not use our new brass or brushed stainless steel inlay strips (p138)?



JOINT TYPE



Tongue & Groove | Easiloc

FITTING METHOD



Glued | Secret Nail | Floated

LENGTH



Packs include cut lengths

HEATING



Underfloor | Tog Rating
If fully stuck down

1.13

THICKNESS



15mm

WEAR LAYER



4mm

EDGES



Bevelled

WARRANTY



100 YEARS

HARLECH

Classic Oak Tones

HARLECH | WHITE OILED OAK

RUSTIC | OILED




35-HWO-189 | 190x1900mm | 2.166m²/pack **£92m²**

This captivating white oak floor inspires a calm and relaxed feel in the home. The light shade brings a lovely sense of space to a room, reflecting light and defining furniture. Each plank is finished with oil to enhance the grain character and ensure lasting durability for this contemporary design.

HARLECH | WHITE SMOKED OAK

RUSTIC | BRUSHED & MATT LACQUERED



35-HWS-001 | 150x1900mm | 1.71m²/pack **£90m²**

S 35-HWS-240 | 240x2200mm | 2.11m²/pack **£113m²**

A beautiful fresh whitened oak floor which has been smoked to enhance its ashen undertones and then carefully brushed and matt lacquered to accentuate the detail in every plank. Perfectly created to suit both traditional and contemporary interior designs, this classic 150mm board is also available in a premium 240mm width (see page 46).



See what you like? ORDER FREE SAMPLES FROM WOODPECKERFLOORING.CO.UK

HARLECH | FEATHER OAK

RUSTIC | BRUSHED & MATT LACQUERED



Also
available in
herringbone



35-HFF-002 | 190x1900mm | 2.166m²/pack

£92m²

Calm white grains peek through the soft grey tones of this floor, creating a wonderfully clean and contemporary look. Smoking further enhances the subtle colour variations flowing across the boards, which are brushed to bring out the wood's natural texture. Matt lacquer adds a modern, muted finish.

Also available as a Goodrich herringbone parquet – see page 52

HARLECH | RAW OAK

RUSTIC | BRUSHED & MATT LACQUERED



35-HRA-001 | 190x1900mm | 2.166m²/pack

£92m²

S

35-HRA-240 | 240x2200mm | 2.11m²/pack

£113m²

The perfect combination of pale, pared-back and rustic details makes this floor a seemingly effortless design. Every board features the beauty of the wood's natural character in a subtle shade that feels fresh from the forest. Brushed and matt lacquered to enhance the natural grain and tones, this board is also available in a premium 240mm width (see page 47).

PLANK & PARQUET

Harlech Feather, Biscotti and Smoked Oak all have matching herringbone planks in our Goodrich range, making it really easy to change effects but keep the same elegant finish between different rooms or up stairs. And why not add one of our new metal inlay strips for a real designer touch?

HARLECH | FEATHER OAK
GOODRICH | FEATHER OAK

JOINT TYPE



Tongue & Groove | Easiloc



FITTING METHOD



Glued



Secret Nail



Floated

LENGTH



Packs include cut lengths

HEATING



Underfloor | Tog Rating
If fully stuck down

1.13

THICKNESS



15mm

WEAR LAYER



4mm

EDGES



Bevelled

WARRANTY



100 YEARS



HARLECH | RUSTIC OAK

RUSTIC | OILED | BRUSHED & MATT LACQUERED



⊙	35-HOC-148	150x1900mm	1.71m ² /pack	£84m²
Ⓛ	35-HOB-001	150x1900mm	1.71m ² /pack	£86m²
⊙	35-HRO-001	190x1900mm	2.166m ² /pack	£86m²
ⓈⓁ	35-HRO-240	240x2200mm	2.11m ² /pack	£113m²

The classic look of rustic oak, rooted in nature and built to last, with rich golden tones and intriguing details which bring a warming, traditional feel to all interiors. Choose the classic 150mm board in an elegant oiled or characterful brushed and lacquered finish, or upgrade to our wider 190mm oiled board or premium 240mm width (see page 47).

⊙ = Oiled finish

Ⓛ = Lacquered finish

Ⓢ = Part of our 'Signature' range

HARLECH | SELECT OAK

SELECT | OILED | MATT LACQUERED




© 35-HOO-005 | 190x1900mm | 2.166m²/pack **£110m²**

Ⓛ 35-HOL-001 | 190x1900mm | 2.166m²/pack **£110m²**

This select oak floor features our pick of the finest and cleanest cuts of timber. Each plank captures the natural beauty of wood's golden hues and gentle grain patterns but only features small rustic details for a more refined look. Choose from an oiled finish for a more subtle sheen or the sumptuous shine of lacquer.

HARLECH | SMOKED OAK

BRUSHED & MATT LACQUERED



Also
available in
herringbone

35-HSO-001 | 190x1900mm | 2.166m²/pack **£92m²**

This multi-tonal floor is alive with the natural character and warming colours of oak. The smoking process has enhanced every highlight and shadow in these vibrant boards, which dance with detail and timeless appeal.

Also available in a Goodrich herringbone parquet - see page 56.

JOINT TYPE



Tongue & Groove | Easiloc

FITTING METHOD



Glued | Secret Nail | Floated

LENGTH



Packs include cut lengths

HEATING



Underfloor | Tog Rating
If fully stuck down

THICKNESS



15mm

WEAR LAYER



4mm

EDGES



Bevelled

WARRANTY



DARK & HANDSOME

Some think that dark boards are reserved for traditional homes, but they work just as well in a contemporary setting, especially when there is ample natural light to reveal their rich tones and intriguing patterns.

JOINT TYPE



Tongue & Groove



Easiloc



Glued



Secret Nail



Floated

FITTING METHOD

LENGTH



Packs include cut lengths

HEATING



Underfloor | Tog Rating
If fully stuck down



1.13

THICKNESS



15mm

WEAR LAYER



4mm

EDGES



Bevelled

WARRANTY



100
YEARS

HARLECH | BISCOTTI OAK

RUSTIC | BRUSHED & MATT LACQUERED



Also
available in
herringbone



35-HGO-002 | 190x1900mm | 2.166m²/pack **£92m²**

Rich biscuit tones and gentle sweeps of caramel bring this floor to life, imbuing it with character and elegance. Working well in both classic and modern design schemes it's sure to be a talking point. Brushed and matt lacquered for a subtle sheen.

Also available as a Goodrich herringbone parquet – see page 52.

HARLECH | COGNAC OAK

RUSTIC | BRUSHED & MATT LACQUERED



35-HOC-190 | 190x1900mm | 2.166m²/pack **£92m²**

Distinct dark grain patterns characterise this vivid and sophisticated oak floor, evoking the richly stained barrels used to store the finest spirits. To reveal the delicate texture and bold shades each plank is gently brushed, accentuating its grain structure, and then finished in matt lacquer for a subtle silky sheen.



Have you heard about our 100 year warranty? READ ALL ABOUT OUR PROMISE ON PAGE 9

HARLECH | CHOCOLATE OAK

RUSTIC | BRUSHED & MATT LACQUERED



35-HCW-001 | 190x1900mm | 2.166m²/pack **£92m²**

Dark, elegant, indulgent - a truly glamorous wood floor. Lively natural details wind across the planks, dancing above their mysterious depths, bringing warmth and intrigue to a room. These rich tones are further intensified by the subtle sheen of a matt lacquered finish.

HARLECH | STORMY OAK

RUSTIC | BRUSHED & MATT LACQUERED



35-HWG-001 | 190x1900mm | 2.166m²/pack **£110m²**

Swirling like storm clouds, a mix of grey hues and whitened grains make this one of our most characterful floors. This floor is smoked which means that cutting edge reactive stains have been applied to this floor, reacting with the tannins to produce a superb depth and intensity to the varied tones. Each board differs to create a truly unique floor. Careful brushing brings the wood's beautifully natural textures to the fore, protected with a classic matt lacquered finish.



See what you like? ORDER FREE SAMPLES FROM WOODPECKERFLOORING.CO.UK

HIDDEN DEPTHS

A dark floor can be a sophisticated choice, adding weight and richness to a room scheme. Pair with dark legged furniture for a seamless look. Visit our Inspiration Blog for more style advice and ideas. woodpeckerflooring.co.uk/inspiration

HARLECH | COGNAC OAK

JOINT TYPE



Tongue & Groove | Easiloc

FITTING METHOD



Glued | Secret Nail | Floated

LENGTH



Packs include cut lengths

HEATING



Underfloor | Tog Rating
If fully stuck down

THICKNESS



15mm

WEAR LAYER



4mm

EDGES



Bevelled

WARRANTY




STRIKING DESIGNS & TIMELESS ELEGANCE

Harlech Signature floors are a range of premium, extra wide, 240mm boards, for a contemporary and sophisticated look. Wide planks showcase more of the natural character of wood and can make a room seem larger and less cluttered, elevating its beauty and charm.

HARLECH | RUSTIC OAK

HARLECH | WHITE SMOKED OAK 240MM

RUSTIC | BRUSHED & MATT LACQUERED



35-HWS-240 | 240x2200mm | 2.11m²/pack **£113m²**

A beautiful fresh whitened oak floor which has been smoked to enhance its ashen undertones and then carefully brushed and matt lacquered to accentuate the detail in every plank. Equally at home in both traditional and contemporary interior designs, this extra wide 240mm board makes a classic design statement.



HARLECH | WHITE SMOKED OAK

Signature

AUTHENTICALLY CRAFTED


WOODPECKER

Signature

Our Signature range is composed of extraordinary boards which have been lavished with extra care, character and technique. The discerning choice, these floors are distinctive and special.

HARLECH | RAW OAK 240MM

RUSTIC | BRUSHED & MATT LACQUERED




35-HRA-240 | 240x2200mm | 2.11m²/pack

£113m²

The perfect combination of pale, pared-back and rustic makes this floor a seemingly effortless design. Every board features the beauty of the wood's natural character in a subtle shade that feels fresh from the forest. Brushed and matt lacquered to enhance the natural grain and tones of these extra wide 240mm boards.

HARLECH | RUSTIC OAK 240MM

RUSTIC | BRUSHED & MATT LACQUERED



35-HRO-240 | 240x2200mm | 2.11m²/pack

£113m²

The classic look of rustic oak, rooted in nature and built to last, with rich golden tones and intriguing details which bring a warming, traditional feel to any interior. This extra wide 240mm board has been brushed and matt lacquered for an even more characterful effect.



Have you heard about our planting scheme? VISIT WOODPECKERFLOORING.CO.UK/PLANTING





GOODRICH | NATURAL OAK

ENGINEERED WOOD FLOORING

GOODRICH

STYLISH HERRINGBONE

A striking design classic,
effortlessly contemporary
whilst evoking a golden age



GOODRICH | SALTED OAK

AN ANCIENT EFFECT

The traditional herringbone flooring design can be traced back as far as 500BC when the Ancient Romans used it when laying their famous roads. The staggered zigzag pattern is made up of wooden blocks cut smaller than traditional planks, creating a strikingly stylish look.

JOINT TYPE



Tongue & Groove | Easiloc

FITTING METHOD



Glued



Secret Nail



Floated

HEATING



Underfloor | Tog Rating
If fully stuck down

1.13

THICKNESS



15mm

WEAR LAYER



4mm

EDGES



Bevelled

WARRANTY




100 YEARS

GOODRICH

Stylish Herringbone

GOODRICH | COTTON OAK

RUSTIC | BRUSHED & MATT LACQUERED

32-GCT-001 | 90x400mm | 1.296m²/pack **£102m²**

The lightest of parquets, this floor adds a fresh, clean and elegant feel to a space. With a whitewashed finish and full of natural detail, each board is brushed to bring out the beauty of the grain and finished with a matt lacquer for a subtle sheen.

GOODRICH | WHITENED OAK

RUSTIC | BRUSHED & MATT LACQUERED

32-GWH-001 | 90x400mm | 1.296m²/pack **£102m²**

Light in colour with a contemporary blend of ashen and flaxen tones, these boards marry striking rustic character with varying natural hues. A classic herringbone design enhanced by brushing and a matt lacquer finish.

GOODRICH | FEATHER OAK

RUSTIC | BRUSHED & MATT LACQUERED



Also
available in
matching
plank



32-OGW-001 | 90x400mm | 1.296m²/pack

£106m²

Calm white grains peek through the soft grey of this floor, creating a wonderfully clean and contemporary look. Smoking further enhances the subtle colour variations flowing across the boards, which are brushed to bring out the wood's natural texture. Matt lacquer adds a modern, muted finish.

Also available as a Harlech plank – see page 28.

GOODRICH | BISCOTTI OAK

RUSTIC | BRUSHED & MATT LACQUERED



Also
available in
matching
plank



32-GGO-001 | 90x400mm | 1.296m²/pack

£106m²

Rich biscuit tones and gentle sweeps of caramel bring this floor to life, imbuing it with character and elegance. Working well in both classic and modern design schemes it's sure to be a talking point. Brushed and matt lacquered for a subtle sheen.

Also available as a Harlech plank – see page 43.



Have you heard about our 100 year warranty? READ ALL ABOUT OUR PROMISE ON PAGE 9

PLANK & PARQUET

Goodrich Feather, Biscotti and Smoked Oak all have matching planks in our Harlech range, making it really easy to change effects but keep the same elegant finish between different rooms or up stairs. And why not add one of our new metal inlay strips for a real designer touch (see page 138).

GOODRICH | ECRU OAK

JOINT TYPE



Tongue & Groove | Easiloc

FITTING METHOD



Glued | Secret Nail | Floated

HEATING



Underfloor | Tog Rating
If fully stuck down

THICKNESS



15mm

WEAR LAYER



4mm

EDGES



Bevelled

WARRANTY



100
YEARS

GOODRICH | ECRU OAK

RUSTIC | BRUSHED & MATT LACQUERED



32-GEO-001 | 90x400mm | 1.296m²/pack **£102m²**

This pale parquet floor is the perfect complement to modern interiors. Boards have an unfinished look and brushed texture for a beautifully natural feel, with added authenticity and tactility. A subtle matt lacquer enhances the overall beauty.



GOODRICH | NATURAL OAK

PATTERNS AND LAYOUTS

Herringbone is the most popular, but by no means the only parquet block layout – why not stand out from the crowd with a modern brick or striking double herringbone pattern, or try one of our Goodrich chevron options?

JOINT TYPE



Tongue & Groove | Easiloc

FITTING METHOD



Glued | Secret Nail | Floated

HEATING



Underfloor | Tog Rating
If fully stuck down

1.13

THICKNESS



15mm

WEAR LAYER



4mm

EDGES



Bevelled



WARRANTY



100 YEARS

GOODRICH | NATURAL OAK

RUSTIC | BRUSHED & MATT LACQUERED

32-GNA-001 | 90x400mm | 1.296m²/pack **£95m²**

This natural oak flooring captures timeless elegance and traditional artistry in the home with rich honey tones and striking details. Careful brushing defines the oak's texture and matt lacquer adds a chic satin sheen to the surface.

GOODRICH | COFFEE OAK

RUSTIC | BRUSHED & MATT LACQUERED

32-GCO-001 | 90x400mm | 1.296m²/pack **£102m²**

This traditional parquet floor features delicately brushed and matt lacquered wood blocks in a warm coffee shade. Rich and sophisticated in colour with an array of dark tones and lovely texture, this floor is the perfect choice for a traditionally styled home.



See what you like? ORDER FREE SAMPLES FROM WOODPECKERFLOORING.CO.UK

GOODRICH | SMOKED OAK

RUSTIC | BRUSHED & MATT LACQUERED



Also
available in
matching
plank



32-GFO-001 | 90x400mm | 1.296m²/pack **£106m²**

This multi-tonal floor is alive with the natural character and warming colours of oak. The smoking process has enhanced every highlight and shadow in these vibrant boards, which dance with detail and timeless appeal.

Also available as a Harlech plank – see page 41.

GOODRICH | ESPRESSO OAK

RUSTIC | BRUSHED & MATT LACQUERED



32-GCW-001 | 90x400mm | 1.296m²/pack **£106m²**

Sophisticated, radiant and distinct, this is a parquet floor with real depth. Sumptuous shades have been accentuated by the smoking process, then carefully brushed and matt lacquered for a wonderfully textured feel.

JOINT TYPE



Tongue & Groove | Easiloc

FITTING METHOD



Glued | Secret Nail | Floated

HEATING



Underfloor | Tog Rating
If fully stuck down

THICKNESS



15mm

WEAR LAYER



4mm

EDGES



Bevelled

WARRANTY



100
YEARS



AUTHENTICALLY CRAFTED

WOODPECKER

Signature

Our Signature range is composed of extraordinary boards which have been lavished with extra care, character and technique. The discerning choice, these floors are distinctive and special.

GOODRICH | HAZE OAK

RUSTIC | BRUSHED & MATT LACQUERED

32-CGR-001 | 90x400mm | 1.296m²/pack **£124m²**

This Scandinavian-inspired chevron flooring design has been smoked to create a divine range of ashen tones and subtle character. The blocks are then washed in white, brushed and matt lacquered to complete the striking effect that makes this floor stand out.

GOODRICH | MANOR OAK

RUSTIC | BRUSHED & MATT LACQUERED

32-MNO-001 | 90x400mm | 1.296m²/pack **£120m²**

The sublime detail and texture of this chevron floor brings nature and craftsmanship together in beautiful harmony. With beautiful golden hues this contemporary chevron design is graceful in any space. Attentively brushed and matt lacquered to enhance the detail in every piece.

STRIKING DESIGNS

The Goodrich Signature range includes striking chevron designs as well as wonderful textures and finishes that really stand out from the crowd.

The timeless elegance of natural wood and the traditional artistry of parquet flooring are combined to create our chevron designs - blocks which are angled and meet at points for a distinctive look that sets these floors apart.

Signature

WOODPECKER

Signature

GOODRICH | SALTED OAK

RUSTIC | BRUSHED & MATT LACQUERED

32-SGR-001 | 90x400mm | 1.296m²/pack£120m²

Parquet flooring gets a texture rush in this stylish and characterful floor. These matt lacquered blocks bear distinctive saw marks for a striking rustic effect, whilst being wonderfully contemporary in colour. A subtle matt lacquer completes the look.



EXTRA SPECIAL EFFECTS

Incredible textures and extraordinary finishes characterise these exquisite parquet floors. From sawing to tumbling, smoking to distressing, there are no lengths to which our craftsmen will not go to create your perfect floor.

GOODRICH | CHARRED OAK

GOODRICH | BARN OAK

RUSTIC | BRUSHED & MATT LACQUERED



32-GBO-001 | 90x400mm | 1.296m²/pack

£124m²

Painstakingly distressed by hand, each piece of Barn Oak is truly unique. Discover an array of antique features in this design, which tell the tale of an age-old parquet floor reclaimed to be loved once more. Tumbled edges, rich natural details and worn surface character come together beautifully with a grey washed shade for a modern rustic look.

GOODRICH | CHARRED OAK

RUSTIC | BRUSHED & MATT LACQUERED



32-GCD-001 | 90x400mm | 1.296m²/pack

£124m²

Gloriously bold and blackened, Charred Oak captures the riveting feel of a reclaimed parquet floor. Explore stunning colour variations throughout unique blocks that are distressed by hand. Marks, scuffs, dents and tumbled edges tell the tale of an age-old timber that's wonderfully worn over time.





ENGINEERED WOOD FLOORING

CHEPSTOW

RUGGED, DISTINGUISHED
AND BEAUTIFUL

—
Majestic, thick, traditionally
oiled boards – strong,
hardwearing and charming

CHEPSTOW | DISTRESSED CHARCOAL OAK 240MM



A PERFECT FINISH

We have a range of trims available for the perfect finish. With shades to complement your floor choice, a smooth and natural transition between rooms is guaranteed (See page 140).

CHEPSTOW | PLANED GREY OAK

JOINT TYPE



Tongue & Groove | Easiloc

FITTING METHOD



Glued | Secret Nail | Floated

LENGTH



Packs include cut lengths

HEATING



Underfloor | Tog Rating
If fully stuck down

1.2

THICKNESS



21mm

WEAR LAYER



6mm

EDGES



Bevelled

WARRANTY



100
YEARS

CHEPSTOW

Rugged, Distinguished and Beautiful

CHEPSTOW | VANILLA OAK


RUSTIC | OILED

65-PVA-001 | 189x1860mm | 2.11m²/pack£125m²

Creamy-grey hues flow across these coastal inspired boards enlivening and brightening your room. Rustic wood character emerges from beneath the gently whitened surface which is oiled for a muted matt look and enduring protection.

CHEPSTOW | PLANED GREY OAK

RUSTIC | OILED

65-POG-001 | 189x1860mm | 2.11m²/pack£125m²

This ash oak floor pairs the ageless flair of slow-grown European timber with a contemporary stain. Each board is carefully sanded to achieve its beautifully smooth surface and bring to life its ashen undertones and modern grey highlights. An oiled finish completes the floor with a chic satin sheen.



Have you heard about our 100 year warranty? READ ALL ABOUT OUR PROMISE ON PAGE 9

CHEPSTOW | RUSTIC OAK

RUSTIC | UNFINISHED | BRUSHED & OILED | LACQUERED



U 65-HMU-001 | 189x1860mm | 2.11m²/pack **£105m²**

© 65-HBO-001 | 189x1860mm | 2.11m²/pack **£115m²**

L 65-HML-001 | 189x1860mm | 2.11m²/pack **£115m²**

S © 65-HBO-002 | 240x2200mm | 2.11m²/pack **£132m²**

The classic look of rustic oak in a premium, substantial board, merging natural style with timeless appeal in its flowing grain patterns, slowly grown knots and array of caramel shades. Choose from 3 elegant finishes on a classic 189mm board or upgrade to our premium 240mm width (see page 72).

CHEPSTOW | WASHED OAK

RUSTIC | OILED



65-RWA-001 | 190x1900mm | 1.444m²/pack **£125m²**

S 65-RWA-002 | 240x2200mm | 2.11m²/pack **£143m²**

Full of whirling natural details, the subtle pale wash on this oak floor brings out the delicate grey hues and golden undertones. Treated with 6 coats of oil to protect the surface, it also penetrates the wood and enhances the structure of the grain. Also available in a striking 240mm width (see page 74).

© = Oiled finish L = Lacquered finish

S = Part of our 'Signature' range



WIDE AND RELAXED

Our extra wide 240mm Chepstow Rustic Oak boards bring a sense of space and depth to any room, working beautifully in both traditional and modern settings.

CHEPSTOW | WASHED OAK 240MM

JOINT TYPE



Tongue & Groove



Easiloc

FITTING METHOD



Glued



Secret Nail



Floated

LENGTH



Packs include cut lengths

HEATING



Underfloor | Tog Rating
If fully stuck down

1.2

THICKNESS



21mm

WEAR LAYER



6mm

EDGES




Bevelled

WARRANTY



100
YEARS



STRUCTURALLY SOUND

Thick enough even to be used as structural boards laid straight onto joists, Chepstow floors bring an incredible solidity and premium feeling to your home, sturdy underfoot and oozing quality.

JOINT TYPE



Tongue & Groove



Easiloc

FITTING METHOD



Glued



Secret Nail



Floated

LENGTH



Packs include cut lengths

HEATING



Underfloor | Tog Rating
If fully stuck down



1.2

THICKNESS



21mm

WEAR LAYER



6mm

EDGES



Bevelled

WARRANTY



100
YEARS

CHEPSTOW | ANTIQUE OAK

RUSTIC | OILED

65-POA-001 | 189x1860mm | 2.11m²/pack **£125m²**S 65-POA-002 | 240x2200mm | 2.11m²/pack **£140m²**

A strong and stylish wood floor with distinct dark grain patterns and rich warming tones. The dark stain brings the oak's character to the fore while bevelled edges create beautiful definition across the design. Each board receives five coats of oil for a satin sheen and enhanced durability. Also available in a luxurious 240mm board (see page 73).

CHEPSTOW | PLANED COCOA OAK

RUSTIC | OILED

65-POC-001 | 189x1860mm | 2.11m²/pack **£125m²**

Dark, deep and vivid with a delightfully smooth finish achieved by up to 6 rounds of careful sanding. Rich chocolate tones and lighter dancing highlights make this a floor with seemingly endless depths. Treated with oil for protection and a classic muted finish.



See what you like? ORDER FREE SAMPLES FROM WOODPECKERFLOORING.CO.UK


AUTHENTICALLY CRAFTED

WOODPECKER *Signature*

Our Signature range is composed of extraordinary boards which have been lavished with extra care, character and technique. The discerning choice, these floors are distinctive and special.

CHEPSTOW | SAWN GREY OAK

RUSTIC | OILED



65-SOG-001 | 189x1860mm | 2.11m²/pack **£140m²**

With delicate ashen hues and a beautifully rough surface that evokes the feel of freshly sawn timber, Chepstow Sawn Grey Oak captures a distinctive wood floor feel. The rugged beauty of the boards evokes times passed in their every ridge and rise, grain and knot. Sawn Grey Oak is finished with five coats of oil for optimal durability and a wonderful satin sheen.



CHEPSTOW | SAWN GREY OAK



Have you heard about our 100 year warranty? [READ ALL ABOUT OUR PROMISE ON PAGE 9](#)

HAND DISTRESSING

Charming, timeworn appeal - each plank is hand distressed on its edges to produce small grooves and undulations that are reminiscent of a naturally aged floor.

CHEPSTOW | DISTRESSED CHARCOAL OAK

CHEPSTOW | DISTRESSED CHARCOAL OAK

RUSTIC | HARDWAX OILED



65-AOC-001 | 190x1900mm | 1.444m²/pack

£140m²

Presenting a stunning mix of rich auburn and deep chocolate tones, this extraordinary wood floor is brought to life by hand with a combination of sultry stains and beautiful waxes, enhancing distressed bevelled edges and characterful surface dents. Each board evokes an antique look and captures the feel that it's been loved across the generations.




CHEPSTOW | DISTRESSED CHARCOAL OAK

Signature

WOODPECKER *Signature*

CHEPSTOW | RUSTIC OAK 240MM

RUSTIC | BRUSHED & OILED



65-HBO-002 | 240x2200mm | 2.11m²/pack

£132m²

The classic look of rustic oak in a premium, substantial board, in a generous and stylish 240mm width. Natural style combines with timeless appeal in its flowing grain patterns, slowly grown knots and array of caramel shades.



GO WIDE

Indulge yourself with our range of premium wide planks in 4 beautiful finishes. Showcasing more of the natural character of wood and with fewer planks needed, wide boards can make a room seem larger and less cluttered, elevating its beauty and charm.

CHEPSTOW | ANTIQUE OAK

CHEPSTOW | ANTIQUE OAK 240MM

RUSTIC | OILED



65-POA-002 | 240x2200mm | 2.11m²/pack

£140m²

A stunning wide board version of this stylish wood floor, rich with distinct dark grain patterns and rich warming tones - a dark stain brings the oak's character to the fore while bevelled edges create beautiful definition across the design. Each board receives five coats of oil for a satin sheen and enhanced durability.



CHEPSTOW | ANTIQUE OAK

Wondering how much floor to order? $\text{ROOM SIZE (M}^2\text{)} / \text{PACK SIZE (M}^2\text{)} + 5\text{-}10\% = \text{NO. OF PACKS NEEDED. EASY.}$



CHEPSTOW | WASHED OAK 240MM

CHEPSTOW | WASHED OAK 240MM

RUSTIC | OILED



65-RWA-002 | 240x2200mm | 2.11m²/pack

£143m²

Full of whirling natural details, the subtle pale wash on this oak floor offers delicate grey hues and golden undertones, now in a superb wider board. Treated with 6 coats of oil to protect the surface, it also penetrates the wood and enhances the structure of the grain.



CHEPSTOW | WASHED OAK

Signature

AUTHENTICALLY CRAFTED

WOODPECKER *Signature*

ENGINEERED WOOD | CHEPSTOW

CHEPSTOW | DISTRESSED CHARCOAL OAK 240MM

RUSTIC | HARDWAX OILED



65-AOC-002 | 240x2200mm | 2.11m²/pack

£160m²

Presenting a stunning mix of rich auburn and deep chocolate tones, this extraordinary wood floor is brought to life by hand with a combination of sultry stains and beautiful waxes, enhancing distressed bevelled edges and characterful surface dents. Each of these premium wider boards evokes an antique look and captures the feel that it's been loved across the generations.



CHEPSTOW | DISTRESSED CHARCOAL OAK

See what you like? ORDER FREE SAMPLES FROM WOODPECKERFLOORING.CO.UK





BERKELEY | SMOKED OAK

ENGINEERED WOOD FLOORING

BERKELEY

EXTRAORDINARY WOODS,
TEXTURES AND FINISHES

Hand-worked extra rustic
Oak & Pine and beautifully
sleek Walnut

HAND WORKED AND AGED TO PERFECTION

All Berkeley Oak & Pine floors are painstakingly hand-worked for a finish that brings a whole new dimension to your natural floor. Creating a surface with undulating ridges and grooves, handscraping and distressing add depth and definition to the wood, capturing an aged look that's distinctive by eye yet smooth to the touch.

JOINT TYPE



Tongue & Groove



Easiloc

FITTING METHOD



Glued



Secret Nail



Floated

LENGTH



Packs include cut lengths

HEATING



Underfloor | Tog Rating
If fully stuck down

1.13

THICKNESS



15mm

WEAR LAYER



4mm

EDGES



Bevelled

WARRANTY



100 YEARS

Please note, Berkeley Century Pine is not suitable for underfloor heating.

BERKELEY

Extraordinary Woods, Textures and Finishes

BERKELEY | NATURAL OAK

EXTRA RUSTIC | OILED

38-BON-004 | 190x1860mm | 2.11m²/pack **£112m²**

Carefully prepared with seven specialist ageing processes to capture the charm of an age-old timber, these exquisite boards are bursting with golden highlights and natural character, accentuated with extra-rustic details such as large knots and dark filler, to recreate a truly distinctive look. Oiled for subtle protection.



BERKELEY | NATURAL OAK



See what you like? ORDER FREE SAMPLES FROM WOODPECKERFLOORING.CO.UK

AUTHENTICALLY CRAFTED

WOODPECKER *Signature*

Our Signature range is composed of extraordinary boards which have been lavished with extra care, character and technique. The discerning choice, these floors are distinctive and special.

BERKELEY | WHITE OAK

EXTRA RUSTIC | OILED

38-BVVO-005 | 190x1860mm | 2.11m²/pack **£115m²**

This white oak floor evokes a beach-house feel with its chalky ashen stain and array of rustic details. Full of character, these boards give the sensation of having been part of the fabric of your home for many years. Smoking intensifies the subtle tones and an oiled finish sits within the surface layers to enhance the oak's grain structure and provide long-lasting protection.

BERKELEY | GREY OAK

EXTRA RUSTIC | OILED

38-BAG-001 | 190x1860mm | 2.11m²/pack **£115m²**

Relaxing ashen hues blend with a meticulously hand-scraped texture in this extra rustic oak floor. Boards feature large knots, splits and cracks characteristic of oak that's been underfoot for decades. Every intriguing and subtle tone has been accentuated by the smoking process, then finished with oil for a muted matt look.


A SOPHISTICATED LOOK

Berkeley Signature floors include exquisite hand-crafted finishes. We also have a premium pine and walnut option for a distinguished and sophisticated look.

BERKELEY | CENTURY PINE

BERKELEY | SMOKED OAK

EXTRA RUSTIC | OILED




38-BOS-003 | 190x1860mm | 2.11m²/pack

£115m²

Being carefully antiqued in seven individual stages has instilled stunning period accents in these planks. Strong colour variations intensified by smoking, dark details and intricate wood knots evokes the character of an experienced timber while an oiled finish enhances every grain in this exquisitely distressed floor.

BERKELEY | CENTURY PINE

EXTRA RUSTIC | OILED



38-BMC-001 | 190x1860mm | 2.11m²/pack

£112m²

The name tells its story, laid down at the turn of the last century, these hardworking boards have absorbed the footfall of generations, before being sanded down and given a fresh new lease of life. With aged blackened bevels and natural details as well as aged nail holes, this floor tells a story of years gone by. Refreshed and protected by a natural oil finish.

Please note, Berkeley Century Pine is not suitable for underfloor heating.



Signature

AUTHENTICALLY CRAFTED

WOODPECKER

Signature

ENGINEERED WOOD | BERKELEY

BERKELEY | CATHEDRAL OAK

EXTRA RUSTIC | OILED




38-BCD-001 | 190x1860mm | 2.11m²/pack

£140m²

Beautifully worn with undulations and the feeling of generations of footfall, this most characterful of floors will add interest and intrigue to any room. Waves of honey, caramel and cocoa add warmth to these richly textured boards. Expert hand finishing enhances every feature, highlighting the already beautiful natural finishes and hues.

BERKELEY | BURNT OAK

EXTRA RUSTIC | OILED



38-BOA-006 | 190x1860mm | 2.11m²/pack

£115m²

The bronze hues of this beautifully distressed oak floor feature a medley of tonal twists together with dark rustic details and defined bevelled edges, all brought to life by the traditional smoking method. The floor is finished with five coats of premium oil to enhance the character of every grain and provide a lifetime of durability.

Wondering how much floor to order? $\text{ROOM SIZE (M}^2\text{)} / \text{PACK SIZE (M}^2\text{)} + 5\text{-}10\% = \text{NO. OF PACKS NEEDED. EASY.}$

WOODPECKER

Signature

BERKELEY | COTTAGE OAK

EXTRA RUSTIC | OILED

38-BDW-001 | 190x1860mm | 2.11m²/pack **£140m²**

Antique flooring is even more beautifully timeworn in this truly rustic design. Featuring chatter marks from the sawmill along the edges, each board bursts with the charming effects of a floor that's been laid fresh from the saw and smoothed by the tread of generations. The classic smoking treatment creates a depth of colour and a subtle oiled finish gives wonderful texture.

BERKELEY | CALICO OAK

EXTRA RUSTIC | OILED

38-BCC-001 | 190x1860mm | 2.11m²/pack **£140m²**

Dusky and daring, Calico Oak is a wood floor with drama. Boards are aged and distressed with realistic marks, dents and scuffed edges capturing the feel of a timber with a history. The wonderful grey and taupe tones in this unique design are brought to life by the smoking process and 5 coats of premium oil, which penetrate, protect and provide the wood with a subtle matt finish.

SMOKING FOR INTENSITY

Most of our Berkeley floors are specially treated using an age-old process called “smoking” which allows our experts to subtly enhance or intensify their beautiful tones by awakening the natural tannins in the timber. Offering more complexity than a simple stained board, these smoked colours add a new dimension to your floor.

Signature

LAYER UPON LAYER

—
All Berkeley oak floors are treated with 5 layers of natural oil, cured and hardened with ultraviolet lamps for a resilient yet beautifully subtle finish. Berkeley Classic Walnut is cured with a beautiful lacquer to give it a soft silky sheen.



BERKELEY | CLASSIC WALNUT

AUTHENTICALLY CRAFTED

WOODPECKER *Signature*

BERKELEY | CLASSIC WALNUT

RUSTIC | LACQUERED



38-BCW-001 | 190x1860mm | 2.11m²/pack **£140m²**

Walnut flooring is loved for its smooth chocolatey tones and warming appeal, and these boards up the ante even further with a serene majestic look. Truly eye-catching, with rich, flowing hues and the occasional lighter sapwood streaks highlighting the bevels, this floor has an enchanting mix of cocoa colours and natural swirling patterns, with a lustrous quality that will take centre stage.



Have you heard about our 100 year warranty? [READ ALL ABOUT OUR PROMISE ON PAGE 9](#)

AUTHENTICALLY CRAFTED

WOODPECKER

Signature

BERKELEY | RUGGED OAK

EXTRA RUSTIC | OILED

38-BRO-001 | 190x1860mm | 2.11m²/pack **£140m²**

Capturing the characterful look and feel of genuine reclaimed timber, with rich nutty tones and golden highlights, these boards evoke the sunshine and warm tones of autumn. Realistic marks, scuffs and dents tell the story of antique wood that's wonderfully worn over time. Each board is rigorously distressed by hand with something different to be found in every piece.

BERKELEY | CELLAR OAK

EXTRA RUSTIC | OILED

38-BCO-001 | 190x1860mm | 2.11m²/pack **£140m²**

Dark, distressed and distinctive - these boards are a vivid statement. Deep ebony undertones and all the character of aged extra rustic oak combine to create a board that speaks of generations of wear, reinforced by marks, scuffs and dents that tell the story of a reclaimed aged timber design. Discover new details in each board every day.

BEST OF BOTH WORLDS

All the character of genuine reclaimed boards with the strength and versatility of an engineered structure, meaning you really can have it all!

Signature





SANDRINGHAM | ROYAL OAK

ENGINEERED WOOD FLOORING

DESIGN PANELS

OPULENT STATEMENT PIECES

—
Evoking the timeless
elegance of the past –
a striking décor classic



AUTHENTICALLY CRAFTED

WOODPECKER

Signature

Introducing four new design panels

HANDCRAFTED TO ORDER

As our exquisite panels are all carefully handcrafted to order, please allow up to 6 weeks for delivery.

SANDRINGHAM | ROYAL OAK

INTRODUCING OUR LUXURIOUS NEW RANGE OF DESIGN PANELS.

Painstakingly hand-crafted to order, these panels represent the finest in wooden flooring. Each one is created by inlaying selected blocks to create patterns both traditional and contemporary, intricate and minimalist. This technique means the natural grain runs in multiple directions, allowing light and texture to add depth and interest to the floor.

Tracing their origins as far back as the opulent palaces of 17th Century France, this classic design statement adds elegance and style to both contemporary and traditional design schemes.

Woodpecker is proud to offer you a comprehensive range of exquisite panels – 4 patterns, 3 finishes and a choice of bevels.

JOINT TYPE



Tongue & Groove



Easiloc

FITTING METHOD



Glued



Secret Nail



Floated

HEATING



Underfloor



1.13

Tog Rating

If fully stuck down

THICKNESS



15mm

WEAR LAYER



4mm

WARRANTY



100 YEARS

AUTHENTICALLY CRAFTED

WOODPECKER

Signature

SANDRINGHAM

HARDWAX OILED

750x750mm | 0.56m²/pack£275m²

MULTI MICRO BEVEL

LIMED OAK
44-DCP-001ROYAL OAK
44-DCP-002AGED OAK
44-DCP-003

PERIMETER BEVEL

LIMED OAK
44-DCP-013ROYAL OAK
44-DCP-014AGED OAK
44-DCP-015

Inspired by the original 17th century Versailles panels, this timeless design features micro bevels on all joints or at the panel perimeter only.

CLARENCE

HARDWAX OILED

750x750mm | 0.56m²/pack£275m²

MULTI MICRO BEVEL

LIMED OAK
44-DCP-007ROYAL OAK
44-DCP-008AGED OAK
44-DCP-009

PERIMETER BEVEL

LIMED OAK
44-DCP-016ROYAL OAK
44-DCP-017AGED OAK
44-DCP-018

This minimalist design allows the beauty and character of the wood grain to make a statement. Choose micro bevels on all joints or at the panel perimeter only.



SANDRINGHAM | ROYAL OAK

HIGHGROVE

HARDWAX OILED

750x750mm | 0.56m²/pack£275m²

PERIMETER BEVEL

LIMED OAK
44-DCP-010ROYAL OAK
44-DCP-011AGED OAK
44-DCP-012

A variation on the classic woven design, these panels add depth and interest to a room and have bevels on the panel perimeter only.

GATCOMBE

HARDWAX OILED

750x750mm | 0.56m²/pack£275m²

PERIMETER BEVEL

LIMED OAK
44-DCP-004ROYAL OAK
44-DCP-005AGED OAK
44-DCP-006

Featuring bevels only at the panel perimeters, this intricate pattern is nonetheless sleek and elegant, creating an impact with the interplay of different grain direction.

SUSTAINABLE AND DURABLE

BAMBOO FLOORING

For an eco-friendly floor that's naturally sleek and hardwearing

Bamboo is one of the most sustainable materials on earth. Actually a fast-growing grass, cutting encourages regrowth and it fully replenishes in only 5 years.

Bamboo forms its own unique grain patterns and can be formed into extremely hardwearing boards with the natural look and qualities of hardwood.

To produce these exceptionally hard boards, our Woodpecker experts use a process called strand weaving, binding bamboo fibres together and compressing them to create boards with a higher tensile strength than steel.



The mark of
responsible forestry

All of our wood floors
are responsibly sourced
with FSC® certification.



PEACE OF MIND FOR
GENERATIONS TO COME

THE RESPONSIBLE CHOICE

With the option of natural or coffee, plank or parquet, and finished with 5 coats of UV cured scratch resistant lacquer, our bamboo floors are the sustainable solution for your beautiful home.





OXWICH | COFFEE STRAND BAMBOO

BAMBOO FLOORING

OXWICH

SUSTAINABLE
HARDWEARING AND SLEEK

—
Environmentally friendly
and resilient floors, with a
classy smooth finish

OXWICH

Sustainable, Hardwearing and Sleek

OXWICH | NATURAL
STRAND BAMBOO


MATT LACQUERED

20-SWN-001 | 135x1850mm | 1.498m²/pack **£87m²**

Love the light and spacious feel that this natural bamboo floor can bring to your space. This authentic shade is true to the bright bamboo plant with varying calm and cool hues that are perfect for contemporary spaces. Bevelled and lacquered for a satin smooth finish, Natural Strand is sustainable, durable and stylish.

OXWICH | COFFEE
STRAND BAMBOO

MATT LACQUERED

20-SWC-001 | 135x1850mm | 1.498m²/pack **£87m²**

Capturing a beautiful range of rich colours, with coffee hues and golden tones, these boards bring warmth and depth to the room. A fresh take on a dark floor, these characterful boards will add a new dimension to any space. Bevelled and lacquered for a satin smooth finish, Coffee Strand is sustainable, durable and stylish.





ENVIRONMENTALLY POSITIVE

There is no better sustainable solution for your floor - taking only 5 years to regrow, and with growth actually encouraged by cutting, bamboo really is one of nature's marvels.

OXWICH | NATURAL STRAND BAMBOO

JOINT TYPE



Tongue & Groove | Easiloc

FITTING METHOD



Glued | Secret Nail | Floated

HEATING



Underfloor | Tog Rating

THICKNESS



12mm

EDGES



Bevelled

WARRANTY




A MODERN TAKE

Be inspired by this traditional herringbone pattern with a dramatic modern take - our bamboo parquet blocks are as beautiful as they are sustainable and resilient.



OXWICH | NATURAL STRAND BAMBOO HERRINGBONE

MATT LACQUERED




20-SHN-001 | 90x450mm | 1.134m²/pack

£98m²

A delightfully modern and eco-friendly twist to the traditional herringbone floor. This authentic shade is true to the bright bamboo plant with varying calm and cool hues that are perfect for contemporary spaces. Lacquered for a satin smooth finish, Oxwich Natural herringbone is sustainable, durable and contemporary.

OXWICH | COFFEE STRAND BAMBOO HERRINGBONE

MATT LACQUERED



20-SHC-001 | 90x450mm | 1.134m²/pack

£98m²

A delightfully modern and eco-friendly twist to the traditional herringbone floor. With coffee hues and golden tones, these characterful blocks bring warmth and depth to the room, adding a new dimension to any home. Lacquered for a satin smooth finish, Oxwich Coffee herringbone is sustainable, durable and contemporary.

JOINT TYPE



Tongue & Groove | Easiloc

FITTING METHOD



Glued | Secret Nail | Floated

HEATING



Underfloor | Tog Rating
If fully stuck down

THICKNESS



12mm

EDGES



Bevelled

WARRANTY



100
YEARS

NEXT GENERATION BOARDS

STRATEX® FLOORING

For high stability and
outstanding performance

Incredibly strong and stable, water resistant and with built in underlay – there's no better board for modern life.

Engineered from layers of the highest performance materials, with a mineral composite core and built in underlay, choose Woodpecker Stratex® technology for even the most challenging rooms in the house.

More durable and solid underfoot than laminate, stable, resilient and dent resistant, Stratex® floors are the ultimate solution for the modern home.

Offering both waterproof embossed vinyl and highly moisture resistant real wood options, there's no better floor to withstand the rigours of daily life.



Our Stratex® floors come
with a 25 Year Warranty.

A PERFECT FIT

With glueless Easiloc joints and a built-in-underlay, Stratex® flooring is easy to fit and can be installed directly onto most existing subfloors.



BRECON | SEASHELL HERRINGBONE OAK

STRATEX® FLOORING


BRECON

WATERPROOF,
STABLE MINERAL
COMPOSITE CORE,
BUILT-IN UNDERLAY

A high-performance floor
in a wide range of realistic
wood-effect finishes

BRECON

Waterproof, Stable Mineral Composite Core & Built-in Underlay



MADE FOR LIVING

Our Brecon Stratex® flooring range offers incredibly strong and stable boards with an extremely durable, embossed woodgrain-effect vinyl upper layer and built-in underlay. Brecon doesn't need expansion gaps when it's installed in normal living conditions, where temperatures remain between 15°C and 25°C. Offering a wide range of highly realistic wood finishes, Brecon is a stylish and practical solution for even the most demanding rooms in the house.

SUBFLOOR PREPARATION

In order to get the best performance out of your Brecon floor, extra care and attention must be taken to ensure your subfloor is flat and smooth with no undulations before you lay the floor.

TACTILE TEXTURES

Subtle embossing of natural grain patterns and flows brings Brecon boards to life and adds realism and vitality to your floor.

BRECON | GLACIAL OAK

DEEP EMBOSS MATT

29-BRE-025 | 180x1220mm | 2.2m²/pack£47m²

Freshly whitewashed, evoking an Alpine cabin glistening with the hoar frost.

BRECON | IVORY OAK

DEEP EMBOSS MATT

29-BRE-007 | 180x1220mm | 2.2m²/pack£47m²

Fresh and light, with creamy tones meeting charming wood character.

BRECON | SEASHELL OAK

DEEP EMBOSS MATT

Also
available in
herringbone

29-BRE-009 | 180x1220mm | 2.2m²/pack£47m²

A subtle delight with a lovely feel of nature, inspired by the dusky tones of our rocky shores.

BRECON | WAREHOUSE OAK

DEEP EMBOSS MATT

29-BRE-012 | 180x1220mm | 2.2m²/pack£47m²

A modern grey design capturing the feel of forest-fresh wood with visible sawn marks.

STABILITY



High

UNDERLAY



Built-in

SLIP RESISTANCE



R10

WEAR RATING



AC4

WATERPROOF



INSTALLATION

Score and
snap

BRECON | WHISPER OAK

DEEP EMBOSS MATT

Also
available in
herringbone

29-BRE-011 | 180x1220mm | 2.2m²/pack£47m²

Deep grey hues meet rustic wood character in this vivid design.

BRECON | DOVE OAK

DEEP EMBOSS MATT

29-BRE-005 | 180x1220mm | 2.2m²/pack£47m²

An elegant mix of grey and beige tones, with striking dark rustic streaks, bringing a lively feel.



BRECON | WHISPER OAK

FIT FOR MODERN LIVING

With realistic woodgrain effect embossing and detailed decorative designs, Brecon is the perfect alternative for challenging environments for which real wood flooring is not the most suitable choice.

JOINT TYPE



Tongue & Groove | Easiloc

FITTING METHOD



Glued | Secret Nail | Floated

HEATING



Underfloor | Tog Rating

THICKNESS



5mm

WARRANTY

25
YEARS



EASY TO LAY

Simple to score and snap, and with a built in underlay, Brecon is a dream to fit.

BRECON | RIVER OAK

DEEP EMBOSS MATT

Also
available in
herringbone



29-BRE-002 | 180x1220mm | 2.2m²/pack

£47m²

Splashed in earthy tones and white limed details, flowing with natural character.

BRECON | BARLEY OAK

DEEP EMBOSS MATT



29-BRE-006 | 180x1220mm | 2.2m²/pack

£47m²

Modest yet warming, a versatile base for contemporary interiors.

STABILITY



High

UNDERLAY



Built-in

SLIP RESISTANCE



R10

WEAR RATING



AC4

WATERPROOF




INSTALLATION



Score and
snap

BRECON | BLANCHE OAK

DEEP EMBOSS MATT

Also
available in
herringbone29-BRE-022 | 180x1220mm | 2.2m²/pack£47m²

Fresh out of the old mill, limed, washed, and swept, with character that has increased with age.

BRECON | VALLEY OAK

DEEP EMBOSS MATT

29-BRE-014 | 180x1220mm | 2.2m²/pack£47m²

A classic design with a fresh natural oak shade and charming wood character.

BRECON | FARM OAK

DEEP EMBOSS MATT

29-BRE-003 | 180x1220mm | 2.2m²/pack£47m²

Warm and welcoming, a characterful golden oak inspired by traditional wood flooring.

BRECON | VINTAGE OAK

DEEP EMBOSS MATT

Also
available in
herringbone29-BRE-015 | 180x1220mm | 2.2m²/pack£47m²

Rich in red oak tones and rustic personality, capturing the vibrant character of antique wood.

JOINT TYPE



Tongue & Groove | Easiloc

FITTING METHOD



Glued | Secret Nail | Floated

HEATING



Underfloor | Tog Rating

THICKNESS



5mm

WARRANTY

25
YEARS

BRECON | BRACKEN OAK

DEEP EMBOSS MATT




29-BRE-024 | 180x1220mm | 2.2m²/pack

£47m²

The feel of gracefully ageing timber, with warm tones reminiscent of heathland and rural villages.

BRECON | HERITAGE OAK

DEEP EMBOSS MATT



29-BRE-023 | 180x1220mm | 2.2m²/pack

£47m²

A style found in mansions and manor houses, bearing witness to the passing generations of nobility.



BRECON | BRACKEN OAK

BATHROOM FRIENDLY

Waterproof and slip resistant, there's no better floor for your bathroom

STABILITY



High

UNDERLAY



Built-in

SLIP RESISTANCE



R10

WEAR RATING



AC4

WATERPROOF



INSTALLATION



Score and snap

BRECON | WEATHERED OAK

DEEP EMBOSS MATT



29-BRE-021 | 180x1220mm | 2.2m²/pack **£47m²**

Time worn and gnarled, from the ancient barn, this floor has seen generations of the seasons.

BRECON | SHORELINE OAK

DEEP EMBOSS MATT



Also
available in
herringbone

29-BRE-020 | 180x1220mm | 2.2m²/pack **£47m²**

Calling to mind sea defences and breakwaters, saturated with tar and soaked with the surf.



BRECON | SHORELINE OAK

SOLID & STABLE

Brecon's mineral composite core gives it ultimate stability even in the most challenging environments. The Stratex® technology means that it doesn't expand and contract in the same way as wood. Therefore, Brecon doesn't need expansion gaps when installed in stable conditions, where temperatures remain between 15°C and 25°C.

JOINT TYPE



Tongue & Groove | Easiloc

FITTING METHOD



Glued | Secret Nail | Floated

HEATING



Underfloor | Tog Rating

THICKNESS



5mm

WARRANTY



25
YEARS


AUTHENTICALLY CRAFTED

WOODPECKER *Signature*

Our Brecon Signature range is composed of elegant herringbone options to use as alternatives to, or to match, our most popular Brecon designs, for a distinctive, elegant look.

BRECON | SEASHELL OAK HERRINGBONE

DEEP EMBOSS MATT



Also
available in
matching
plank

29-BRE-026 | 120x600mm | 0.72m²/pack£50m²

Evoking the structural patterns found in the natural world, these elegant parquet boards work in harmony with this subtle design, inspired by the dusky tones of our rocky shores.

BRECON | WHISPER OAK HERRINGBONE

DEEP EMBOSS MATT



Also
available in
matching
plank

29-BRE-016 | 120x600mm | 0.72m²/pack£50m²

The classic parquet pattern on a subtly textured, high performance board - deep grey hues meet rustic wood character in this vivid design.

MODERN ELEGANCE

Brecon Signature herringbone floors give everyone the chance to enjoy the sophisticated parquet style. Embossed, waterproof boards, they are a modern and versatile solution for a design classic.



A KITCHEN DREAM

Stylish, waterproof, slip resistant, resilient, stable, easy to clean and even available in 6 elegant herringbone designs... Brecon truly is your dream kitchen floor.

signature

AUTHENTICALLY CRAFTED


WOODPECKER

Signature

STRATEX® | BRECON

BRECON | RIVER OAK HERRINGBONE

DEEP EMBOSS MATT



Also
available in
matching
plank




29-BRE-017 | 120x600mm | 0.72m²/pack

£50m²

An elegant design classic brought up to date on this high-performance floor - splashed in earthy tones and white limed details, flowing with natural character.

BRECON | BLANCHE OAK HERRINGBONE

DEEP EMBOSS MATT



Also
available in
matching
plank



29-BRE-027 | 120x600mm | 0.72m²/pack

£50m²


Fresh out of the old mill, limed, washed, and swept, with character that has increased with age, still further enhanced by the contrasting grains in the classic herringbone pattern.

WOODPECKER


Signature

BRECON | VINTAGE OAK
HERRINGBONE

DEEP EMBOSS MATT



Also
available in
matching
plank

29-BRE-018 | 120x600mm | 0.72m²/pack£50m²

The stylish sophistication of parquet in a high-tech board with a classic look - rich in red oak tones and rustic personality, capturing the vibrant character of antique wood.

BRECON | SHORELINE OAK
HERRINGBONE

DEEP EMBOSS MATT



Also
available in
matching
plank

29-BRE-019 | 120x600mm | 0.72m²/pack£50m²

Calling to mind sea defences and breakwaters, saturated with tar and soaked with the surf, this stunning finish works beautifully in a characterful herringbone design.

CHILD FRIENDLY FLOORING

Our Brecon range is the perfect solution for your child's bedroom. You won't have to worry about those accidental spills as all Brecon floors are waterproof and very easy to clean. With a quick mop and sweep, you'll have more free time to enjoy that much deserved cuppa.

Signature





LYNTON | NATURAL OAK

STRATEX® FLOORING


LYNTON

REAL WOOD,
STABLE MINERAL
COMPOSITE CORE,
BUILT-IN UNDERLAY

—
High-performance boards
with a beautiful real
wood top layer

LYNTON

Real Wood, Stable Mineral Composite Core & Built-in Underlay



REAL WOOD TOP LAYER

Our ground-breaking Lynton range combines the beauty of mature European oak with the impressive stability of our unique Stratex® technology. With a real wood top layer and built-in underlay, this innovative range offers the beauty of real wood with the practicality of incredibly strong and stable, dent-resistant boards.

PRACTICAL AND STYLISH

All our Lynton floors are robust and stable with minimal reaction to moisture and temperature, making them suitable for even the most demanding rooms in the home including hallways and over underfloor heating.

LYNTON | SEAGRASS OAK

RUSTIC | BRUSHED & MATT LACQUERED



33-LYT-005 | 165x1220mm | 2.01m²/pack **£65m²**

Evoking long lost timber, washed by the waves to a whitened hue, hinting at the hidden mysteries of the deep, yet vibrant with life. Delicately brushed and matt lacquered.

LYNTON | CHIFFON OAK

RUSTIC | BRUSHED & MATT LACQUERED




33-LYT-006 | 165x1220mm | 2.01m²/pack **£65m²**

As natural as it comes, with a warmth and texture you can feel, enhanced by brushing and a subtle matt lacquer. Oak in the raw with an overlay of gossamer shades.

STABILITY	UNDERLAY	MOISTURE	WEAR LAYER	JOINT TYPE	FITTING METHOD	HEATING	THICKNESS	WARRANTY
High	Built-in	High resistance	1mm	Tongue & Groove Easiloc	Glued Secret Nail Floated	Underfloor Tog Rating 1.15	7mm	25 YEARS

LYNTON | ESTUARY OAK

RUSTIC | BRUSHED & MATT LACQUERED

33-LYT-004 | 165x1220mm | 2.01m²/pack£65m²

Imagine salt and sand, years of maritime history ingrained into the timbers of hardworking waterside structures, captured in this characterful brushed and matt lacquered board.

LYNTON | NATURAL OAK

RUSTIC | BRUSHED & MATT LACQUERED

33-LYT-001 | 165x1220mm | 2.01m²/pack£65m²

Our national favourite, a mature golden oak that works beautifully with any décor, subtly brushed with a muted sheen. A traditional product, loved by generations past, now perfect for the modern home.



See what you like? ORDER FREE SAMPLES FROM WOODPECKERFLOORING.CO.UK

LYNTON | EVENING OAK

RUSTIC | BRUSHED & MATT LACQUERED



33-LYT-003 | 165x1220mm | 2.01m²/pack **£65m²**

Capturing the subtle tones of twilight as the sun dips below the horizon, the sunset shadows and streaks of the passing day fade. Brushed and matt lacquered to intensify the grain.

LYNTON | WEALD OAK

RUSTIC | BRUSHED & MATT LACQUERED



33-LYT-002 | 165x1220mm | 2.01m²/pack **£65m²**

Recalling a darkened ancient woodland steeped in history, this sumptuous dark floor will bring a hint of mysterious luxury to any room. Brushed and matt lacquered for a classic understated finish.

STABILITY	UNDERLAY	MOISTURE	WEAR LAYER	JOINT TYPE	FITTING METHOD	HEATING	THICKNESS	WARRANTY
High	Built-in	High resistance	1mm	Tongue & Groove Easiloc	Glued Secret Nail Floated	Underfloor Tog Rating 1.15	7mm	25 YEARS



SLIM BUT TOUGH

Due to their precision engineering, Lynton boards are not only dent resistant and stable, they are also slimmer than a traditional board, meaning you can enjoy a real wood floor in spaces where a standard option wouldn't fit.


HANDY TOOLS

RANGE AT
A GLANCE

A handy comparison tool to help
you find the perfect floor.



SOLID WOOD
FLOORING

	CODE	PRICE (inc. vat)	THICKNESS	DIMENSIONS	PACK SIZE	GRADE	FINISH	JOINT TYPE	EDGES	FITTING METHOD	UNDERFLOOR HEATING	HARDNESS
YORK												
WHITE WASHED OAK	36-YWW-150	£90.00/m ²	18mm	150 x 300- 1600mm*	1.98m ² Variable no.	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Stuck down or nailed	Not Suitable	Hard
SELECT OAK	36-YBM-150	£105.00/m ²	18mm	150 x 300- 1600mm*	1.98m ² Variable no.	Select	B & M Lacquered	Tongue & Groove	Bevelled	Stuck down or nailed	Not Suitable	Hard
RUSTIC OAK (Oiled)	36-YRO-150	£85.00/m ²	18mm	150 x 300- 1600mm*	1.98m ² Variable no.	Rustic	Oiled	Tongue & Groove	Bevelled	Stuck down or nailed	Not Suitable	Hard
RUSTIC OAK (Lacquered)	36-YOR-150	£85.00/m ²	18mm	150 x 300- 1600mm*	1.98m ² Variable no.	Rustic	Lacquered	Tongue & Groove	Bevelled	Stuck down or nailed	Not Suitable	Hard
TAWNY OAK	36-YTO-150	£90.00/m ²	18mm	150 x 300- 1600mm*	1.98m ² Variable no.	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Stuck down or nailed	Not Suitable	Hard
ANTIQUE OAK 	36-YOA-150	£105.00/m ²	18mm	150 x 300- 1600mm*	1.98m ² Variable no.	Rustic	Lacquered	Tongue & Groove	Bevelled	Stuck down or nailed	Not Suitable	Hard

| * 700mm average







ENGINEERED WOOD
FLOORING

	CODE	PRICE (inc. vat)	THICKNESS	DIMENSIONS	PACK SIZE	GRADE	FINISH	JOINT TYPE	EDGES	FITTING METHOD	UNDERFLOOR HEATING	HARDNESS	TOG RATING
SALCOMBE													
CHALKED OAK	45-WAW-020	£85.00/m ²	14mm 3mm wear	190 x 1900mm**	2.888m ² 8 planks	Rustic	B & M Lacquered	Easiloc	Bevelled	Floated	Suitable	Hard	1.13
SEASHORE OAK	45-WDG-013	£85.00/m ²	14mm 3mm wear	190 x 1900mm**	2.888m ² 8 planks	Rustic	B & M Lacquered	Easiloc	Bevelled	Floated	Suitable	Hard	1.13
NATURAL OAK 3-STRIP	46-WOU-003	£70.00/m ²	14mm 3mm wear	182 x 2190mm**	3.587m ² 9 planks	Rustic	Lacquered	Easiloc	Square	Floated	Suitable	Hard	1.13
NATURAL OAK	45-WGO-000	£85.00/m ²	14mm 3mm wear	190 x 1900mm**	2.888m ² 8 planks	Rustic	B & M Lacquered	Easiloc	Bevelled	Floated	Suitable	Hard	1.13
DUNE OAK	45-WGR-016	£85.00/m ²	14mm 3mm wear	190 x 1900mm**	2.888m ² 8 planks	Rustic	B & M Lacquered	Easiloc	Bevelled	Floated	Suitable	Hard	1.13
MOONBEAM OAK	45-WAB-014	£85.00/m ²	14mm 3mm wear	190 x 1900mm**	2.888m ² 8 planks	Rustic	B & M Lacquered	Easiloc	Bevelled	Floated	Suitable	Hard	1.13
SHADOW OAK	45-WAC-017	£85.00/m ²	14mm 3mm wear	190 x 1900mm**	2.888m ² 8 planks	Rustic	B & M Lacquered	Easiloc	Bevelled	Floated	Suitable	Hard	1.13

| ** packs may include cut lengths

	CODE	PRICE (inc vat)	THICKNESS	DIMENSIONS	PACK SIZE	GRADE	FINISH	JOINT TYPE	EDGES	FITTING METHOD	UNDERFLOOR HEATING	HARDNESS	TOG RATING
HARLECH													
WHITE OILED OAK	35-HWO-189	£92.00/m ²	15mm 4mm wear	190 x 1900mm**	2.166m ² 6 planks	Rustic	Oiled	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	1.13
WHITE SMOKED OAK	35-HWS-001	£90.00/m ²	15mm 4mm wear	150 x 1900mm**	1.71m ² 6 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	1.13
WHITE SMOKED OAK S	35-HWS-240	£113.00/m ²	15mm 4mm wear	240 x 2200mm**	2.11m ² 4 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	1.13
FEATHER OAK	35-HFF-002	£92.00/m ²	15mm 4mm wear	190 x 1900mm**	2.166m ² 6 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	1.13
RAW OAK	35-HRA-001	£92.00/m ²	15mm 4mm wear	190 x 1900mm**	2.166m ² 6 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	1.13
RAW OAK S	35-HRA-240	£113.00/m ²	15mm 4mm wear	240 x 2200mm**	2.11m ² 4 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	1.13
RUSTIC OAK (Oiled)	35-HOC-148	£84.00/m ²	15mm 4mm wear	150 x 1900mm**	1.71m ² 6 planks	Rustic	Oiled	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	1.13
RUSTIC OAK (Oiled)	35-HRO-001	£86.00/m ²	15mm 4mm wear	190 x 1900mm**	2.166m ² 6 planks	Rustic	Oiled	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	1.13
RUSTIC OAK (B & M Lacquered)	35-HOB-001	£86.00/m ²	15mm 4mm wear	150 x 1900mm**	1.71m ² 6 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	1.13
RUSTIC OAK (B & M Lacquered) S	35-HRO-240	£113.00/m ²	15mm 4mm wear	240 x 2200mm**	2.11m ² 4 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	1.13
SELECT OAK (Oiled)	35-HOO-005	£110.00/m ²	15mm 4mm wear	190 x 1900mm**	2.166m ² 6 planks	Select	Oiled	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	1.13
SELECT OAK (Matt Lacquered)	35-HOL-001	£110.00/m ²	15mm 4mm wear	190 x 1900mm**	2.166m ² 6 planks	Select	Matt Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	1.13
SMOKED OAK	35-HSO-001	£92.00/m ²	15mm 4mm wear	190 x 1900mm**	2.166m ² 6 planks	Rustic	Oiled	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	1.13
BISCOTTI OAK	35-HGO-002	£92.00/m ²	15mm 4mm wear	190 x 1900mm**	2.166m ² 6 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	1.13
COGNAC OAK	35-HOC-190	£92.00/m ²	15mm 4mm wear	190 x 1900mm**	2.166m ² 6 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	1.13
CHOCOLATE OAK	35-HCW-001	£92.00/m ²	15mm 4mm wear	190 x 1900mm**	2.166m ² 6 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	1.13
STORMY OAK	35-HWG-001	£110.00/m ²	15mm 4mm wear	190 x 1900mm**	2.166m ² 6 planks	Rustic	Hardwax Oil	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	1.13

| ** Packs may include cut lengths

	CODE	PRICE (p/c. var)	THICKNESS	DIMENSIONS	PACK SIZE	GRADE	FINISH	JOINT TYPE	EDGES	FITTING METHOD	UNDERFLOOR HEATING	HARDNESS	TOG RATING
GOODRICH													
COTTON OAK	32-GCT-001	£102.00/m ²	15mm 4mm wear	90 x 400mm	1.296m ² 36 planks	Rustic	B & M Lacquered	Tongue & groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	1.13
WHITENED OAK	32-GWH-001	£102.00/m ²	15mm 4mm wear	90 x 400mm	1.296m ² 36 planks	Rustic	B & M Lacquered	Tongue & groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	1.13
FEATHER OAK	32-OGW-001	£106.00/m ²	15mm 4mm wear	90 x 400mm	1.296m ² 36 planks	Rustic	B & M Lacquered	Tongue & groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	1.13
BISCOTTI OAK	32-GGO-001	£106.00/m ²	15mm 4mm wear	90 x 400mm	1.296m ² 36 planks	Rustic	B & M Lacquered	Tongue & groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	1.13
ECRU OAK	32-GEO-001	£102.00/m ²	15mm 4mm wear	90 x 400mm	1.296m ² 36 planks	Rustic	B & M Lacquered	Tongue & groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	1.13
NATURAL OAK	32-GNA-001	£95.00/m ²	15mm 4mm wear	90 x 400mm	1.296m ² 36 planks	Rustic	B & M Lacquered	Tongue & groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	1.13
COFFEE OAK	32-GCO-001	£102.00/m ²	15mm 4mm wear	90 x 400mm	1.296m ² 36 planks	Rustic	B & M Lacquered	Tongue & groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	1.13
SMOKED OAK	32-GFO-001	£106.00/m ²	15mm 4mm wear	90 x 400mm	1.296m ² 36 planks	Rustic	B & M Lacquered	Tongue & groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	1.13
ESPRESSO OAK	32-GCW-001	£106.00/m ²	15mm 4mm wear	90 x 400mm	1.296m ² 36 planks	Rustic	B & M Lacquered	Tongue & groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	1.13
HAZE OAK 	32-CGR-001	£124.00/m ²	15mm 4mm wear	90 x 400mm	1.296m ² 36 planks	Rustic	B & M Lacquered	Tongue & groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	1.13
MANOR OAK 	32-MNO-001	£120.00/m ²	15mm 4mm wear	90 x 400mm	1.296m ² 36 planks	Rustic	B & M Lacquered	Tongue & groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	1.13
SALTED OAK 	32-SGR-001	£120.00/m ²	15mm 4mm wear	90 x 400mm	1.296m ² 36 planks	Rustic	B & M Lacquered	Tongue & groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	1.13
BARN OAK 	32-GBO-001	£124.00/m ²	15mm 4mm wear	90 x 400mm	1.296m ² 36 planks	Rustic	B & M Lacquered	Tongue & groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	1.13
CHARRED OAK 	32-GCD-001	£124.00/m ²	15mm 4mm wear	90 x 400mm	1.296m ² 36 planks	Rustic	B & M Lacquered	Tongue & groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	1.13
CHEPSTOW													
VANILLA OAK	65-PVA-001	£125.00/m ²	21mm 6mm wear	189 x 1860mm**	2.11m ² 6 planks	Rustic	Oiled	Tongue & groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	1.2
PLANED GREY OAK	65-POG-001	£125.00/m ²	21mm 6mm wear	189 x 1860mm**	2.11m ² 6 planks	Rustic	Oiled	Tongue & groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	1.2
RUSTIC OAK (Unfinished)	65-HMU-001	£105.00/m ²	21mm 6mm wear	189 x 1860mm**	2.11m ² 6 planks	Rustic	Unfinished	Tongue & groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	1.2
RUSTIC OAK (Lacquered)	65-HML-001	£115.00/m ²	21mm 6mm wear	189 x 1860mm**	2.11m ² 6 planks	Rustic	Lacquered	Tongue & groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	1.2
RUSTIC OAK (Brushed & Oiled)	65-HBO-001	£115.00/m ²	21mm 6mm wear	189 x 1860mm**	2.11m ² 6 planks	Rustic	Brushed & Oiled	Tongue & groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	1.2
RUSTIC OAK (Brushed & Oiled) 	65-HBO-002	£132.00/m ²	21mm 6mm wear	240 x 2200mm**	2.11m ² 4 planks	Rustic	Brushed & Oiled	Tongue & groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	1.2
WASHED OAK	65-RWA-001	£125.00/m ²	21mm 6mm wear	190 x 1900mm**	1.444m ² 4 planks	Rustic	Oiled	Tongue & groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	1.2

|| ** Packs may include cut lengths

		CODE	PRICE (inc. vat)	THICKNESS	DIMENSIONS	PACK SIZE	GRADE	FINISH	JOINT TYPE	EDGES	FITTING METHOD	UNDERFLOOR HEATING	HARDNESS	TOG RATING
CHEPSTOW														
WASHED OAK	S	65-RWA-002	£143.00/m ²	21mm 6mm wear	240 x 2200mm**	2.11m ² 4 planks	Rustic	Oiled	Tongue & groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	1.2
ANTIQUE OAK		65-POA-001	£125.00/m ²	21mm 6mm wear	189 x 1860mm**	2.11m ² 6 planks	Rustic	Oiled	Tongue & groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	1.2
ANTIQUE OAK	S	65-POA-002	£140.00/m ²	21mm 6mm wear	240 x 2200mm**	2.11m ² 4 planks	Rustic	Oiled	Tongue & groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	1.2
PLANED COCOA OAK		65-POC-001	£125.00/m ²	21mm 6mm wear	189 x 1860mm**	2.11m ² 6 planks	Rustic	Oiled	Tongue & groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	1.2
SAWN GREY OAK	S	65-SOG-001	£140.00/m ²	21mm 6mm wear	189 x 1860mm**	2.11m ² 6 planks	Rustic	Oiled	Tongue & groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	1.2
DISTRESSED CHARCOAL OAK	S	65-AOC-001	£140.00/m ²	21mm 6mm wear	190 x 1900mm**	1.444m ² 4 planks	Rustic	Hardwax Oiled	Tongue & groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	1.2
DISTRESSED CHARCOAL OAK	S	65-AOC-002	£160.00/m ²	21mm 6mm wear	240 x 2200mm**	2.11m ² 4 planks	Rustic	Hardwax Oiled	Tongue & groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	1.2
BERKELEY														
NATURAL OAK		38-BON-004	£112.00/m ²	15mm 4mm wear	190 x 1860mm**	2.11m ² 6 planks	Extra Rustic	Oiled	Tongue & groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	1.13
WHITE OAK	S	38-BWO-005	£115.00/m ²	15mm 4mm wear	190 x 1860mm**	2.11m ² 6 planks	Extra Rustic	Oiled	Tongue & groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	1.13
GREY OAK	S	38-BAG-001	£115.00/m ²	15mm 4mm wear	190 x 1860mm**	2.11m ² 6 planks	Extra Rustic	Oiled	Tongue & groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	1.13
SMOKED OAK	S	38-BOS-003	£115.00/m ²	15mm 4mm wear	190 x 1860mm**	2.11m ² 6 planks	Extra Rustic	Oiled	Tongue & groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	1.13
CENTURY PINE	S	38-BMC-001	£112.00/m ²	15mm 4mm wear	190 x 1860mm**	2.11m ² 6 planks	Extra Rustic	Oiled	Tongue & groove	Bevelled	Floated, stuck or nailed	Not suitable	Medium	1.13
CATHEDRAL OAK	S	38-BCD-001	£140.00/m ²	15mm 4mm wear	190 x 1860mm**	2.11m ² 6 planks	Extra Rustic	Hardwax Oil	Tongue & groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	1.13
BURNT OAK	S	38-BOA-006	£115.00/m ²	15mm 4mm wear	190 x 1860mm**	2.11m ² 6 planks	Extra Rustic	Oiled	Tongue & groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	1.13
COTTAGE OAK	S	38-BDW-001	£140.00/m ²	15mm 4mm wear	190 x 1860mm**	2.11m ² 6 planks	Extra Rustic	Oiled	Tongue & groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	1.13
CALICO OAK	S	38-BCC-001	£140.00/m ²	15mm 4mm wear	190 x 1860mm**	2.11m ² 6 planks	Extra Rustic	Oiled	Tongue & groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	1.13
CLASSIC WALNUT	S	38-BCW-001	£140.00/m ²	15mm 4mm wear	190 x 1860mm**	2.11m ² 6 planks	Rustic	Lacquered	Tongue & groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	1.13
RUGGED OAK	S	38-BRO-001	£140.00/m ²	15mm 4mm wear	190 x 1860mm**	2.11m ² 6 planks	Extra Rustic	Oiled	Tongue & groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	1.13
CELLAR OAK	S	38-BCO-001	£140.00/m ²	15mm 4mm wear	190 x 1860mm**	2.11m ² 6 planks	Extra Rustic	Oiled	Tongue & groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	1.13

| ** Packs may include cut lengths

DESIGN PANEL FLOORING

		CODE	PRICE (INC. VAT)	THICKNESS	DIMENSIONS	PACK SIZE	FINISH	JOINT TYPE	EDGES	FITTING METHOD	UNDERFLOOR HEATING	HARDNESS	TOG RATING
DESIGN PANELS													
SANDRINGHAM LIMED OAK (BEVEL)	S	44-DCP-001	£275.00/m ²	15mm	750 x 750mm	0.56m ² 1 panel	Hardwax Oil	Tongue & groove	Multi Micro Bevel	Stuck down	Suitable if stuck down	Hard	1.2
SANDRINGHAM LIMED OAK	S	44-DCP-013	£275.00/m ²	15mm	750 x 750mm	0.56m ² 1 panel	Hardwax Oil	Tongue & groove	Perimeter bevel only	Stuck down	Suitable if stuck down	Hard	1.2
SANDRINGHAM ROYAL OAK (BEVEL)	S	44-DCP-002	£275.00/m ²	15mm	750 x 750mm	0.56m ² 1 panel	Hardwax Oil	Tongue & groove	Multi Micro Bevel	Stuck down	Suitable if stuck down	Hard	1.2
SANDRINGHAM ROYAL OAK	S	44-DCP-014	£275.00/m ²	15mm	750 x 750mm	0.56m ² 1 panel	Hardwax Oil	Tongue & groove	Perimeter bevel only	Stuck down	Suitable if stuck down	Hard	1.2
SANDRINGHAM AGED OAK (BEVEL)	S	44-DCP-003	£275.00/m ²	15mm	750 x 750mm	0.56m ² 1 panel	Hardwax Oil	Tongue & groove	Multi Micro Bevel	Stuck down	Suitable if stuck down	Hard	1.2
SANDRINGHAM AGED OAK	S	44-DCP-015	£275.00/m ²	15mm	750 x 750mm	0.56m ² 1 panel	Hardwax Oil	Tongue & groove	Perimeter bevel only	Stuck down	Suitable if stuck down	Hard	1.2
CLARENCE LIMED OAK (BEVEL)	S	44-DCP-007	£275.00/m ²	15mm	750 x 750mm	0.56m ² 1 panel	Hardwax Oil	Tongue & groove	Multi Micro Bevel	Stuck down	Suitable if stuck down	Hard	1.2
CLARENCE LIMED OAK	S	44-DCP-016	£275.00/m ²	15mm	750 x 750mm	0.56m ² 1 panel	Hardwax Oil	Tongue & groove	Perimeter bevel only	Stuck down	Suitable if stuck down	Hard	1.2
CLARENCE ROYAL OAK (BEVEL)	S	44-DCP-008	£275.00/m ²	15mm	750 x 750mm	0.56m ² 1 panel	Hardwax Oil	Tongue & groove	Multi Micro Bevel	Stuck down	Suitable if stuck down	Hard	1.2
CLARENCE ROYAL OAK	S	44-DCP-017	£275.00/m ²	15mm	750 x 750mm	0.56m ² 1 panel	Hardwax Oil	Tongue & groove	Perimeter bevel only	Stuck down	Suitable if stuck down	Hard	1.2
CLARENCE AGED OAK (BEVEL)	S	44-DCP-009	£275.00/m ²	15mm	750 x 750mm	0.56m ² 1 panel	Hardwax Oil	Tongue & groove	Multi Micro Bevel	Stuck down	Suitable if stuck down	Hard	1.2
CLARENCE AGED OAK	S	44-DCP-018	£275.00/m ²	15mm	750 x 750mm	0.56m ² 1 panel	Hardwax Oil	Tongue & groove	Perimeter bevel only	Stuck down	Suitable if stuck down	Hard	1.2
HIGHGROVE LIMED OAK	S	44-DCP-010	£275.00/m ²	15mm	750 x 750mm	0.56m ² 1 panel	Hardwax Oil	Tongue & groove	Perimeter bevel only	Stuck down	Suitable if stuck down	Hard	1.2
HIGHGROVE ROYAL OAK	S	44-DCP-011	£275.00/m ²	15mm	750 x 750mm	0.56m ² 1 panel	Hardwax Oil	Tongue & groove	Perimeter bevel only	Stuck down	Suitable if stuck down	Hard	1.2
HIGHGROVE AGED OAK	S	44-DCP-012	£275.00/m ²	15mm	750 x 750mm	0.56m ² 1 panel	Hardwax Oil	Tongue & groove	Perimeter bevel only	Stuck down	Suitable if stuck down	Hard	1.2
GATCOMBE LIMED OAK	S	44-DCP-004	£275.00/m ²	15mm	750 x 750mm	0.56m ² 1 panel	Hardwax Oil	Tongue & groove	Perimeter bevel only	Stuck down	Suitable if stuck down	Hard	1.2
GATCOMBE ROYAL OAK	S	44-DCP-005	£275.00/m ²	15mm	750 x 750mm	0.56m ² 1 panel	Hardwax Oil	Tongue & groove	Perimeter bevel only	Stuck down	Suitable if stuck down	Hard	1.2
GATCOMBE AGED OAK	S	44-DCP-006	£275.00/m ²	15mm	750 x 750mm	0.56m ² 1 panel	Hardwax Oil	Tongue & groove	Perimeter bevel only	Stuck down	Suitable if stuck down	Hard	1.2

BAMBOO FLOORING

	CODE	PRICE (inc. vat)	THICKNESS	DIMENSIONS	PACK SIZE	FINISH	JOINT TYPE	EDGES	FITTING METHOD	UNDERFLOOR HEATING	HARDNESS	TOG RATING
OXWICH												
NATURAL STRAND BAMBOO	20-SWN-001	£87.00/m ²	12mm	135 x 1850mm	1.498m ² 6 planks	Matt Lacquered	Easiloc	Bevelled	Floated	Suitable	Very hard	1.1
COFFEE STRAND BAMBOO	20-SWC-001	£87.00/m ²	12mm	135 x 1850mm	1.498m ² 6 planks	Matt Lacquered	Easiloc	Bevelled	Floated	Suitable	Very hard	1.1
NATURAL STRAND BAMBOO HERRINGBONE	20-SHN-001	£98.00/m ²	12mm	90 x 450mm	1.134m ² 28 planks	Matt Lacquered	Tongue & groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Very hard	1.1
COFFEE STRAND BAMBOO HERRINGBONE	20-SHC-001	£98.00/m ²	12mm	90 x 450mm	1.134m ² 28 planks	Matt Lacquered	Tongue & groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Very hard	1.1

Herringbone laying patterns require additional tongues to be inserted.

STRATEX® FLOORING

	CODE	PRICE (inc. vat)	THICKNESS	DIMENSIONS	PACK SIZE	FINISH	JOINT TYPE	EDGES	FITTING METHOD	UNDERFLOOR HEATING	HARDNESS	TOG RATING
BRECON												
GLACIAL OAK	29-BRE-025	£47.00/m ²	5mm	180 x 1220mm	2.2m ² 10 planks	Embossed	Easiloc	Micro- bevelled	Floated	Suitable	Hard	1.05
IVORY OAK	29-BRE-007	£47.00/m ²	5mm	180 x 1220mm	2.2m ² 10 planks	Embossed	Easiloc	Micro- bevelled	Floated	Suitable	Hard	1.05
SEASHELL OAK	29-BRE-009	£47.00/m ²	5mm	180 x 1220mm	2.2m ² 10 planks	Embossed	Easiloc	Micro- bevelled	Floated	Suitable	Hard	1.05
WAREHOUSE OAK	29-BRE-012	£47.00/m ²	5mm	180 x 1220mm	2.2m ² 10 planks	Embossed	Easiloc	Micro- bevelled	Floated	Suitable	Hard	1.05
WHISPER OAK	29-BRE-011	£47.00/m ²	5mm	180 x 1220mm	2.2m ² 10 planks	Embossed	Easiloc	Micro- bevelled	Floated	Suitable	Hard	1.05
DOVE OAK	29-BRE-005	£47.00/m ²	5mm	180 x 1220mm	2.2m ² 10 planks	Embossed	Easiloc	Micro- bevelled	Floated	Suitable	Hard	1.05
RIVER OAK	29-BRE-002	£47.00/m ²	5mm	180 x 1220mm	2.2m ² 10 planks	Embossed	Easiloc	Micro- bevelled	Floated	Suitable	Hard	1.05
BARLEY OAK	29-BRE-006	£47.00/m ²	5mm	180 x 1220mm	2.2m ² 10 planks	Embossed	Easiloc	Micro- bevelled	Floated	Suitable	Hard	1.05
BLANCHE OAK	29-BRE-022	£47.00/m ²	5mm	180 x 1220mm	2.2m ² 10 planks	Embossed	Easiloc	Micro- bevelled	Floated	Suitable	Hard	1.05

	CODE	PRICE (p/c kg)	THICKNESS	DIMENSIONS	PACK SIZE	FINISH	JOINT TYPE	EDGES	FITTING METHOD	UNDERFLOOR HEATING	HARDNESS	TOG RATING
BRECON												
FARM OAK	29-BRE-003	£47.00/m ²	5mm	180 x 1220mm	2.2m ² 10 planks	Embossed	Easiloc	Micro-bevelled	Floated	Suitable	Hard	1.05
VALLEY OAK	29-BRE-014	£47.00/m ²	5mm	180 x 1220mm	2.2m ² 10 planks	Embossed	Easiloc	Micro-bevelled	Floated	Suitable	Hard	1.05
VINTAGE OAK	29-BRE-015	£47.00/m ²	5mm	180 x 1220mm	2.2m ² 10 planks	Embossed	Easiloc	Micro-bevelled	Floated	Suitable	Hard	1.05
BRACKEN OAK	29-BRE-024	£47.00/m ²	5mm	180 x 1220mm	2.2m ² 10 planks	Embossed	Easiloc	Micro-bevelled	Floated	Suitable	Hard	1.05
HERITAGE OAK	29-BRE-023	£47.00/m ²	5mm	180 x 1220mm	2.2m ² 10 planks	Embossed	Easiloc	Micro-bevelled	Floated	Suitable	Hard	1.05
WEATHERED OAK	29-BRE-021	£47.00/m ²	5mm	180 x 1220mm	2.2m ² 10 planks	Embossed	Easiloc	Micro-bevelled	Floated	Suitable	Hard	1.05
SHORELINE OAK	29-BRE-020	£47.00/m ²	5mm	180 x 1220mm	2.2m ² 10 planks	Embossed	Easiloc	Micro-bevelled	Floated	Suitable	Hard	1.05
SEASHELL OAK HERRINGBONE	S 29-BRE-026	£50.00/m ²	5mm	120 x 600mm	0.72m ² 10 planks	Embossed	Easiloc	Micro-bevelled	Floated	Suitable	Hard	1.05
WHISPER OAK HERRINGBONE	S 29-BRE-016	£50.00/m ²	5mm	120 x 600mm	0.72m ² 10 planks	Embossed	Easiloc	Micro-bevelled	Floated	Suitable	Hard	1.05
RIVER OAK HERRINGBONE	S 29-BRE-017	£50.00/m ²	5mm	120 x 600mm	0.72m ² 10 planks	Embossed	Easiloc	Micro-bevelled	Floated	Suitable	Hard	1.05
BLANCHE OAK HERRINGBONE	S 29-BRE-027	£50.00/m ²	5mm	120 x 600mm	0.72m ² 10 planks	Embossed	Easiloc	Micro-bevelled	Floated	Suitable	Hard	1.05
VINTAGE OAK HERRINGBONE	S 29-BRE-018	£50.00/m ²	5mm	120 x 600mm	0.72m ² 10 planks	Embossed	Easiloc	Micro-bevelled	Floated	Suitable	Hard	1.05
SHORELINE OAK HERRINGBONE	S 29-BRE-019	£50.00/m ²	5mm	120 x 600mm	0.72m ² 10 planks	Embossed	Easiloc	Micro-bevelled	Floated	Suitable	Hard	1.05
LYNTON												
SEAGRASS OAK	33-LYT-005	£65.00/m ²	7mm	165 x 1220mm	2.01m ² 10 planks	Brushed & Matt Lacquered	Easiloc	Micro-bevelled	Floated	Suitable	Hard	1.15
CHIFFON OAK	33-LYT-006	£65.00/m ²	7mm	165 x 1220mm	2.01m ² 10 planks	Brushed & Matt Lacquered	Easiloc	Micro-bevelled	Floated	Suitable	Hard	1.15
ESTUARY OAK	33-LYT-004	£65.00/m ²	7mm	165 x 1220mm	2.01m ² 10 planks	Brushed & Matt Lacquered	Easiloc	Micro-bevelled	Floated	Suitable	Hard	1.15
NATURAL OAK	33-LYT-001	£65.00/m ²	7mm	165 x 1220mm	2.01m ² 10 planks	Brushed & Matt Lacquered	Easiloc	Micro-bevelled	Floated	Suitable	Hard	1.15
EVENING OAK	33-LYT-003	£65.00/m ²	7mm	165 x 1220mm	2.01m ² 10 planks	Brushed & Matt Lacquered	Easiloc	Micro-bevelled	Floated	Suitable	Hard	1.15
WEALD OAK	33-LYT-002	£65.00/m ² e	7mm	165 x 1220mm	2.01m ² 10 planks	Brushed & Matt Lacquered	Easiloc	Micro-bevelled	Floated	Suitable	Hard	1.15



See what you like?

ORDER FREE SAMPLES FROM WOODPECKERFLOORING.CO.UK

DESIGN IDEAS

DESIGN STRIPS


For an elegant and seamless transition from one floor to another, or to add a design statement into a parquet design.

CODE	DIMENSIONS	RRP (INC. VAT)
11-FBB-180 - Brass	9.5mm x 3mm x 1.8m	£44
11-FBS-180 - Brushed Stainless Steel	9.5mm x 3mm x 1.8m	£44

NATURALLY
INSPIRED WALLS

Any of the floors in our Harlech, Berkeley or Chepstow collections can be clad onto the wall using our handy clips, without the need for glue or any tricky tools.

CODE	PACK SIZE	RRP (INC. VAT)
01-SPR-001 - Wall Clips	30 Clips	£60



STAIRPRO

Available for Harlech, Berkeley and Chepstow floors, this nifty solution is a neater alternative to stair nosing, and gives a modern, clean finish.

LENGTH	RRP (INC. VAT)
900mm	£94
1800mm	£165



ACCESSORIES

FAITHFUL TOOLS & FINISHING TOUCHES

Our experts have developed a huge range of supporting accessories to ensure the fit of your floor is nothing less than perfect.

FOR A SMOOTH AND
NATURAL TRANSITION

TRIMS


TRIM STYLE OPTIONS

TWIN TRIM


Also called a 'T-bar' or 'expansion', the twin profile is used to cover the expansion gap between two floors of equal height, providing a neat finish at a doorway, or serving as a room divider.



15 - 18mm



18 - 22mm




SEMI RAMP TRIM


Where two surfaces meet but the difference in height is slight, a semi-ramp profile is the solution. They are ideal where your wood floor transitions to carpet.



15 - 18mm



18 - 22mm




RAMP TRIM


Where one surface meets another at uneven heights, a ramp profile is used. Typically, they bridge the gap between vinyl and wood flooring. They are also called 'reducers' or 'adapters'.



15 - 18mm



18 - 22mm




END TRIM


This profile is commonly used for inset mat wells, as well as where wood flooring meets a patio door. They're also called 'edge', 'square edge' or 'end stop' profiles.



15 - 18mm



18 - 22mm



SUITABLE FOR ENGINEERED FLOORS: SALCOMBE, HARLECH, GOODRICH, BERKELEY AND DESIGN PANELS

15-18MM THICKNESS

TRIM	LENGTH	NATURAL OAK OR UNFINISHED RRP (INC VAT)	STAINED RRP (INC VAT)	WALNUT RRP (INC VAT)
TWIN	0.99m	£28	£37	£43
	1.8m	£51	£65	£81
SEMI RAMP	0.99m	£32	£42	£55
	1.8m	£60	£76	£111
RAMP	0.99m	£32	£42	£55
	1.8m	£60	£76	£111
END	0.99m	£28	£37	£43
	1.8m	£51	£65	£81

SUITABLE FOR SOLID & ENGINEERED FLOORS: YORK, CHEPSTOW

18-22MM THICKNESS

TRIM	LENGTH	NATURAL OAK OR UNFINISHED RRP (INC VAT)	STAINED RRP (INC VAT)
TWIN	0.99m	£30	£40
	1.8m	£56	£68
SEMI RAMP	0.99m	£35	£44
	1.8m	£65	£90
RAMP	0.99m	£35	£44
	1.8m	£65	£90
END	0.99m	£30	£40
	1.8m	£56	£68



Have you heard about our planting scheme? VISIT [WOODPECKERFLOORING.CO.UK/PLANTING](https://www.woodpeckerflooring.co.uk/planting)


FOR A SMOOTH AND
NATURAL TRANSITION

TRIM STYLE OPTIONS

YORK, SALCOMBE, HARLECH, GOODRICH,
CHEPSTOW, BERKELEY, DESIGN PANELS

OVERLAP STAIR NOSING TRIM


Protect the edges of the flooring on your staircase with a stair nosing trim. This trim will stop excessive wear and tear and looks smart. It comes in colours to complement our flooring.



LENGTH	NATURAL OAK OR UNFINISHED RRP (INC VAT)	STAINED RRP (INC VAT)	WALNUT RRP (INC VAT)
1m	£52	£61	£80
1.8m	£94	£111	£149

TONGUE & GROOVE STAIR NOSING


Available in colours to complement our wood flooring, this tongue and groove stair nosing trim will provide a neat finish on your staircase. Please note tongue & groove stair nosing isn't suitable for Salcombe or Goodrich floors.



LENGTH	NATURAL OAK OR UNFINISHED RRP (INC VAT)	STAINED RRP (INC VAT)	WALNUT RRP (INC VAT)
1m	£52	£61	£80
1.8m	£94	£111	£149

SCOTIA TRIM

It's not always possible to remove and refit skirting boards when you fit a wood floor, so this inwardly curved trim can be used to hide the expansion gap between skirting and the flooring.



LENGTH	NATURAL OAK OR UNFINISHED RRP (INC VAT)	STAINED RRP (INC VAT)	WALNUT RRP (INC VAT)
1.8m	£21	£23	£35



COLOUR MATCHING


In addition to our natural oak floors, all our stained wood floors have a trim colour to complement, allowing an elegant transition between different floor surfaces.

We have very careful selection processes in place to ensure that all our wood trims fully complement our flooring range. However, do be aware that like the flooring, trims are subject to natural colour variation and may not appear to match the flooring exactly.


BAMBOO TRIMS

OXWICH


STRAND TWIN TRIM




STRAND RAMP TRIM




STRAND END TRIM



STRAND QUADRANT TRIM



STRAND STAIR NOSING TRIM



TRIM	LENGTH	COFFEE RRP (INC VAT)	NATURAL RRP (INC VAT)
STRAND TWIN TRIM	1.8m	£28	£28
STRAND RAMP TRIM	1.8m	£28	£28
STRAND END TRIM	1.8m	£28	£28
STRAND QUADRANT TRIM	1.8m	£15	£15
STRAND STAIR NOSING TRIM	1.8m	£39	£39




Have you heard about our 100 year warranty? [READ ALL ABOUT OUR PROMISE ON PAGE 9](#)

TRIMS FOR WOOD FLOORS


BRECON

Our Brecon trim range is the perfect solution for a professional finish - just cut and bond strips of your Brecon top layer to the metal strips for the perfect match.


BRECON STAIR NOSING TRIM





BRECON CARPET TRIM




BRECON TWIN TRIM




BRECON END TRIM



BRECON RAMP TRIM



BRECON PERIMETER TRIM



BRECON SCOTIA TRIM



TRIM	LENGTH	SILVER RRP (INC VAT)
STAIR NOSING	0.9m	£27
	1.8m	£54
CARPET	0.9m	£27
	1.8m	£54
TWIN	0.9m	£12
	1.8m	£23
END	0.9m	£23
	1.8m	£45
RAMP	0.9m	£12
	1.8m	£23
PERIMETER	0.9m	£12
	1.8m	£23
SCOTIA	2.4m	£6.50

FITTING BRECON TRIMS

Cut and bond strips of the Brecon top layer to your metal profiles to obtain a perfect match.




VISIT OUR WEBSITE
FOR FULL BRECON
TRIM INSTALLATION
INSTRUCTIONS:
[woodpeckerflooring.co.uk/
how-to-install-brecon-trims](http://woodpeckerflooring.co.uk/how-to-install-brecon-trims)

STRATEX® TRIMS


LYNTON

Our Lynton trim range offers the perfect solution for Lynton floors, with trims available in a selection of colours and transitions to complement your choice of flooring.


LYNTON TWIN TRIM



LYNTON RAMP TRIM



LYNTON END TRIM




TRIM	LENGTH	NATURAL OAK OR UNFINISHED RRP (INC VAT)	STAINED RRP (INC VAT)
TWIN	0.99m	£25	£33
	1.8m	£43	£56
RAMP	0.99m	£25	£33
	1.8m	£43	£56
END	0.99m	£25	£33
	1.8m	£43	£56

TRIMS FOR WOOD FLOORS

METAL


Our metal trims offer a modern, neat and clean finish to floor transitions.

METAL TWIN TRIM




LENGTH	SILVER RRP (INC VAT)
0.99m	£16.50
3.0m	£44

METAL RAMP TRIM



LENGTH	SILVER RRP (INC VAT)
0.99m	£16.50
3.0m	£44

METAL END TRIM



LENGTH	SILVER RRP (INC VAT)
0.99m	£16.50
3.0m	£44

SKIRTING BOARDS AND PIPE COVERS TO SUIT YOUR FLOORING

FINISHING TOUCHES

SKIRTING BOARDS

Create a smooth transition from floor to wall, and hide expansion gaps, with attractive Woodpecker skirting boards.



SOLID OAK

Made from rustic grade timber, and available either lacquered or unfinished, our solid oak skirting looks fantastic. This skirting is double sided and interchangeable so gives you the option of having Torus (beading along the top) or Ogee (with a groove and a head).

Finished size: 20 x 145 x 2350mm

CODE	RRP (INC. VAT)
69-SKU-145 - Unfinished	£65
69-SKO-145 - Lacquered	£80



OAK VENEER

With a modern pencil round profile, Woodpecker real oak veneered skirting will give the room a classy finish and has a rear rebate to hide wiring. Skirting clips are available for a glueless installation.

Finished size: 16 x 95 x 2500mm

CODE	RRP (INC. VAT)
11-VOS-095 - Skirting	£50
11-SKC-050 - Skirting Clips (Pack of 50)	£30



COLOURSEALANT MASTIC

310ml gunnable cartridge for wood and Stratex® floors, used to perfect the finishing touches.

CODE	COLOUR	RRP (INC. VAT)
06-WCS-001	Colour Sealant Oak	£7
06-WCS-002	Colour Sealant Pine	£7
06-WCS-003	Colour Sealant Walnut	£7
06-WCS-004	Colour Sealant Light Grey	£7

PIPE COVERS

Conceal that unsightly hole around the radiator pipe with an easy-to-fit cover, colour-matched to your natural wood flooring.



SOLID

Our hardwood pipe covers come in two halves with a unique jigsaw design so that they clip together creating a seamless join with an inside diameter of 15mm. These are available to complement all floors in our catalogue.

COLOUR	PER PACK	RRP (INC. VAT)
Oak or Unfinished	2	£13
Stained or Walnut	2	£17



PLASTIC

Because plastic is so malleable, these matt pipe covers slide easily around the radiator pipe then snap closed to cover the gap between floor and pipe. Two colours are available, they have an inside diameter of 15mm, and they are sold in packs of four.

CODE	COLOUR	PER PACK	RRP (INC. VAT)
06-PPO-150	Oak	4	£5
06-PPW-150	White	4	£5



CUSHION & PROTECT YOUR FLOOR

UNDERLAY & BARRIERS

FLOORMATE

Floormate provides excellent moisture protection, and is ideal for areas of heavy foot traffic. Made from recycled rubber, this is a great environmentally friendly option which is also suitable for use over underfloor heating. Floormate incorporates a foil vapour barrier and combines comfort, support and good sound and thermal insulation.




Eco-friendly -
Made from
recycled
rubber



CODE	DEPTH	PER ROLL	RRP (INC. VAT)
49-FME-010	3.5mm	10m ²	£63
49-FME-015	3.5mm	15m ²	£94

BASIC 20

Where you have a level and moisture-free subfloor, Basic 20 underlay is the optimum choice. It's inexpensive, offers good comfort and support, and has reasonable soundproofing and thermal qualities too. It's particularly useful for upper floors where moisture isn't an issue. Tog rating: 0.72.



CODE	DEPTH	PER ROLL	RRP (INC. VAT)
49-GBO-015	3mm	15m ²	£28

AQUASTOP DAMP PROOF MEMBRANE

Designed especially for ground level subfloors where moisture could be present, Aquastop has the same qualities as Basic 20 underlay, plus a laminated damp proof membrane (DPM), which is 80mm wider than the underlay padding to ensure ultimate moisture protection when installed. Popular, inexpensive and with a tog rating of 0.67.



CODE	DEPTH	PER ROLL	RRP (INC. VAT)
49-GBP-015	3mm	15m ²	£35

SOLITEC

This specialist underlay has a strong adhesive top layer for the floor to bond to, making it ideal for floating solid wood or engineered boards. You don't need tape, glue or nails. It must be used in conjunction with a damp proof membrane to protect against moisture migration. We only recommend installing over underfloor heating with engineered wood flooring.



CODE	DEPTH	PER ROLL	RRP (INC. VAT)
49-ST5-003	3mm	10m ²	£95

ACOUSTAMAT

If you are concerned about noise pollution, install an Acoustamat slatted underlay in conjunction with WP50 Sausages to form a liquid batten system. The perforations are ideal for applying the adhesive and once installed it provides a reliable acoustic barrier. It's also great for uneven subfloors.




Use with
WP50 Adhesive
Sausages.
—
See page 150

CODE	DEPTH	PER ROLL	RRP (INC. VAT)
49-SSK-001	3mm	16.5m ²	£95

MOISTOP BARRIER PAPER

This moisture resistant barrier paper is perfect if you're using secret nails to secure a wooden floor over a timber-based subfloor. Its bitumen backing self-seals around the nail holes to maintain a watertight barrier and prevent your flooring absorbing moisture from below.



CODE	PER ROLL	RRP (INC. VAT)
53-MBP-001	25m ²	£70

DAMP PROOF MEMBRANE (DPM)


Designed to be used in conjunction with a cushioning underlay, and to prevent moisture damaging your floor, this membrane is durable and strong with high puncture resistance. It's made from 1000-gauge high quality polythene.



CODE	DEPTH	PER ROLL	RRP (INC. VAT)
37-DPM-100 (4m x 25m)	1000 gauge	100m ²	£95

XL UNDERLAY

If your subfloor suffers from some minor dips (up to 3mm) XL Underlay can help solve the problem. It's made from lightweight extruded polystyrene and comes in packs of 10 tiles that are 500mm wide by 1200mm long. It offers exceptional sound and thermal insulation, and when taped together forms an effective moisture barrier. Tog rating: 1.7.



CODE	DEPTH	PER ROLL	RRP (INC. VAT)
49-WXL-001	6	6m ²	£24

VAPOUR TAPE

Use this self-adhesive foil tape when laying a Woodpecker moisture barrier, or products like our XL Underlay tiles. It not only blocks out moisture but is an easy way to strengthen joins.



CODE	SIZE	RRP (INC. VAT)
10-VPT-097	75mm x 25m	£6.50

PROTECTALAY

Save clean-up time, control dust, dirt and debris during renovations with our temporary floor protection. The material provides a strong, moisture-resistant yet breathable shield which can be used to safeguard wood flooring during and after installation.



CODE	SIZE	RRP (INC. VAT)
49-PRL-001	1 x 30m = 30m ² /roll	£120



FOR THE BEST SUBFLOOR PREPARATION

ADHESIVES & SEALANTS

MS PARQUET ADHESIVE

Made specifically for use with Woodpecker floors, MS Parquet is recognised for its quality. In just 30 minutes, it will secure wood boards.



CODE	SIZE	COVERS (APPROX)	RRP (INC. VAT)
31-SMS-100	15kg	12-15m ²	£170

WP50 SAUSAGES

Applied using a bulk gun, this purpose-made adhesive is designed for use with Woodpecker's Acoustamat underlay to form a liquid batten system.



CODE	PRODUCT	SIZE	COVERS (APPROX)	RRP (INC. VAT)
23-LBS-001	Sausage	600ml	2m ²	£14
23-MAG-001	Bulk gun	N/A	N/A	£50

FLOORING GRADE PVA

Woodpecker's flooring grade PVA is the ideal adhesive for bonding tongue and groove hardwood floorboards.



CODE	SIZE	COVERS (APPROX)	RRP (INC. VAT)
31-WPA-505	0.5kg	5m ²	£7

WP60 LIQUID DPM

Apply this liquid membrane to your subfloor to prevent residual moisture from the concrete penetrating your natural wood floor.



CODE	SIZE	COVERS (APPROX)	RRP (INC. VAT)
23-LDP-001	5L	25m ²	£185

LEVEL-X & PRIMER

If your subfloor is uneven, solve the problem the natural way using gravity. With care, it can be feathered off to virtually nothing at the edges.



CODE	SIZE	PRODUCT	RRP (INC. VAT)
12-LXC-001	20kg	Level-X	£40
12-LXP-001	1L	Primer	£20

11P SURFACE PRIMER

Does your Woodpecker flooring need to be bonded to a dusty or porous subfloor? To improve surface adhesion, apply 11P Surface Primer before using our MS Parquet adhesive, WP50 Sausages, or WP60 DPM.



CODE	SIZE	COVERS (APPROX)	RRP (INC. VAT)
31-WSP-001	5L	50m ²	£43



LYNTON | EVENING OAK



CAREFULLY DESIGNED PRODUCTS

All of our subfloor and adhesive products have been carefully designed not only to work wonderfully with wood flooring, but to work seamlessly together too. When used as a system to prepare and install, each product supports the next, creating a strong and reliable base for Woodpecker flooring. Here are some common subfloor scenarios where our adhesives and sealants can be used together:



Better together!

OLD SOLID SCREEDED FLOOR THAT REQUIRES LEVELLING:

11P Primer

WP60 Liquid DPM

Level-X

MS Parquet Adhesive

Tongue & Groove Floor

OLD AND DUSTY SOLID SCREEDED FLOOR THAT DOESN'T REQUIRE LEVELLING:

11P Primer

WP60 Liquid DPM

MS Parquet Adhesive

Tongue & Groove Floor

OLD AND UNEVEN TIMBER FLOORBOARDS:

Plywood overlay

Level-X Primer

Level-X

MS Parquet Adhesive

Tongue & Groove Floor

STICKING DOWN TO AN ANHYDRITE SCREED WITH UNDERFLOOR HEATING:

Level-X Primer

Level-X

MS Parquet Adhesive

Tongue & Groove Floor

ACOUSTIC DEADENING INSTALLATION:

Acoustamat Underlay
(see page 148)

WP50 Adhesive Sausages

Tongue & Groove Floor



Have you heard about our 100 year warranty? READ ALL ABOUT OUR PROMISE ON PAGE 9

9

USEFUL CLEANING
AND MAINTENANCE TIPS

HARLECH | SMOKED OAK

**1 DOOR MATS**

A good quality floor mat will catch dirt and grit, preventing damage further into your home. Grit underfoot is like sandpaper, scratching the floor's finish, so consider fitting Woodpecker Coir Matting which provides a barrier to wet and dirty feet.

**2 RUGS OR CARPET RUNNERS**

We know that the last thing you want to do is cover up the beautiful texture of your natural wood floor, but sometimes prevention is better than the cure. Consider rugs or carpet runners for high footfall areas such as doorways, halls and stairs.

**3 BE CAREFUL WITH FURNITURE**

Never drag furniture or other objects across your wood floor – it can easily result in unsightly dents or scratches. Woodpecker offers a variety of felt protectors and castor cups that enable you to move furniture easily without marking your floor.

**4 SHOE RULES**

Avoid wearing heavy shoes or work boots when stepping onto your natural wood floor. High heels, and stilettos in particular, should be avoided. They exert a huge amount of pressure that easily dents or marks even the toughest of wood floors.

**5 CLEAN UP SPILLS**

Liquid is the enemy, so mop up any spilled drinks and never allow water or other liquids to sit for any length of time. The odd drop may not hurt, but excessive amounts of water will cause lasting damage.

**6 PET PATROL**

Nothing's more natural than a dog or cat curled up by the fire, asleep on your wood floor. But remember to keep your pet's claws trimmed to prevent scratches and, as with point five, if there are any 'accidents' make sure they're cleaned up fast.

**7 SUNSHINE**

Sunlight will naturally help the wood's colour to mellow, so move rugs, mats and furniture regularly to ensure an even maturing of colour. Excessive exposure to direct sunlight can lead to expansion/shrinkage, warping and splitting. Consider shading your floor from large windows that face the sun.

**8 LIGHT CLEANING**

Regular sweeping with a soft bristled broom will get rid of dust and rogue bits of grit on the floor. You can also vacuum a natural wood floor – ideally with a soft brush attachment to minimise scratching.

**9 MOPPING**

Always use a well-wrung mop when cleaning and remove excess liquid immediately. Woodpecker supplies specially formulated Cleaning Kits that include a gentle Spray Mop, Cleaning Liquid and Care Guide for both lacquered and oiled finishes.

MAINTAINING A BEAUTIFUL FLOOR LONG TERM CARE

Even though the most advanced wood treatments and finishes are used to create our floors, they will need to be looked after to stay in tip-top condition. This involves cleaning and sometimes re-finishing your flooring at suitable intervals to ensure it continues to delight throughout its lifetime.



CLEANING OILED FLOORS

For a deeper clean now and again, use Woodpecker One Coat Soap. This clever product will clean your floor and form a protective film, helping to build its surface resistance over time and making your floor even easier to maintain.



RESTORATION TREATMENTS FOR WOOD FLOORING

How often you recoat or repair your floor will depend on several factors including the type of floor it is, its finish and the wear it's experienced. As a basic preventative measure, you might consider recoating your floor every two or three years. Don't wait until your floor looks worn. If you allow the protective coat to wear away, it becomes susceptible to dirt and water penetration and harder to clean and repair.



A QUICK TEST

A good way to check whether your floor needs treatment is to pour a few drops of water onto its surface. If the finish is in good order, the water will bead on the floor and can easily be wiped away. No maintenance is needed. If the water slowly soaks into the timber, leaving behind a light saturation mark, the finish is starting to wear thin. A new coat of lacquer or oil should be applied. However, if the water is immediately absorbed and leaves a dark stain, the finish has been completely worn away and the floor may need sanding and recoating.

NB: Before any treatment is carried out, we recommend testing in an inconspicuous area of the floor to check compatibility.



BRECON FLOOR REPAIRS

The best way to conceal small scratches and marks on our Brecon range is with Scratchfix – a quick and easy method to restore scratches on resilient floors.



RE-LACQUERING & REPAIRS

If your lacquered floor gets any isolated scratches or dents, these can be sealed using Woodpecker Scratch Cover according to the instructions supplied.

Deeper scratches or gouges might call for professional wood filler, available in a variety of colours from most hardware and flooring retailers. Afterwards, apply some Woodpecker Scratch Cover to give the repair a protective finish.

Extra care is needed when sanding stained floors to ensure that the process doesn't break through the complete layer of stain. In this instance, the floor would require a patch-repair before the lacquer is applied.

If the floor is badly worn in some places, it may be necessary to sand the flooring back to its unfinished surface before recoating all over. Unlike oil, lacquer doesn't penetrate the wood's surface, instead it sticks to it so the entire floor must be covered to avoid ridges and overlap marks. A single coat of lacquer will be enough to protect against moisture, though several coats should be applied if the floor faces lots of foot traffic.



RE-OILING & REPAIRS

Unlike lacquered floors, isolated areas of an oiled floor can be treated without having to re-oil the entire floor. Oiled surfaces aren't as tough as lacquered surfaces and need to be maintained more often, by applying Woodpecker One Coat Oil.

CLEANING & CARE PRODUCTS

PROTECTION

COIR MATTING

Coir matting is a great way of protecting your natural wood floor.



CODE	WIDTH	RRP (INC. VAT)
42-COI-010	1000mm	£44

CASTOR CUPS

Protect your floor from the dents, pressure marks and scratches that could be caused by heavy furniture.



CODE	DESCRIPTION	SIZE	RRP (INC. VAT)
05-FCC-363	Castor Cups x 4 Light Wood Grain	44mm	£8.50
05-FCC-364	Castor Cups x 4 Light Wood Grain	60mm	£8.50

FELT PADS

Place underneath all types of furniture including dining chairs and table legs to protect from scratches.



CODE	DESCRIPTION	SIZE	RRP (INC. VAT)
05-FFP-951	Heavy Duty Felt Pads x20 (Round)	19mm	£5
05-FFP-952	Heavy Duty Felt Pads x16 (Round)	25mm	£5
05-FFP-953	Heavy Duty Felt Pads x8 (Round)	38mm	£5
05-FFP-947	Heavy Duty Felt Pads (Various Sizes)	Mixed	£8.50
05-FFP-950	Heavy Duty Felt Pads x2 (Rectangular)	113x 153mm	£8.50



EXPERT KNOWLEDGE

Over time, felt pads collect grit and so to prevent any unnecessary scratches on your floor, remember to renew your felt pads every so often.

MAINTENANCE

ONE COAT SOAP

If your Woodpecker floor has an oiled finish, clean it with One Coat Soap.



CODE	SIZE	RRP (INC. VAT)
81-OCS-002	2L	£ 65

ONE COAT CLEANER

Prepare the surface of your sanded or oiled floor for re-oiling.



CODE	SIZE	RRP (INC. VAT)
81-OCC-001	1L	£38

ONE COAT OIL

Restore the rich natural colours and textures of your wooden floor.



CODE	SIZE	COVERS	RRP (INC. VAT)
81-OCO-001	1L	40-50m²/L	£115



CLEANING KIT

Love your natural wood floor and keep it in tip top condition with a Woodpecker Cleaning Kit. The box includes our specially formulated Cleaning Liquid and a gentle spray mop with a refillable cartridge and washable cover. We've also popped in our Floor Cleaning & Care guide which is full of tips to help you ensure your floor looks its best and lasts even longer.

CODE	DESCRIPTION	SIZE	RRP (INC. VAT)
77-CKO-001	Cleaning Kit for Oiled Wood Floors		£42
77-CKL-001	Cleaning Kit for Lacquered Wood Floors, Laminate & Stratex® Floors		£42
77-COC-001	Cleaning Liquid for Oiled Wood Floors	1L	£12
77-CLC-001	Cleaning Liquid for Lacquered Wood Floors, Laminate & Stratex® Floors	1L	£12
77-CKM-001	Replacement Mop Head		£15

WHERE TO BUY

Ask your nearest retailer for details or buy online at woodpeckerflooring.co.uk



WATCH OUR VIDEO ON HOW TO
CARE FOR YOUR WOODPECKER
FLOOR AT OUR WEBSITE:

woodpeckerflooring.co.uk/carevideo



REPAIRS

SCRATCH REPAIR STICKS

Our scratch Repair Sticks are great for filling and hiding deep scratches.



CODE	COLOUR	RRP (INC. VAT)
02-SPS-001	Various	£8

SCRATCH COVER

Cover scuffs, chips, scratches and other minor marks in the surface of wood flooring.



CODE	SIZE	COLOUR	RRP (INC. VAT)
02-SCD-001	100ml	Dark	£8
02-SCM-001	100ml	Medium	£8
02-SCL-001	100ml	Light	£8

TOUCH UP OIL

Conceal dents and scratches on your oiled floor quickly and easily by applying Touch Up Oil. 'Pure' will enrich the floor with a natural oil.



CODE	SIZE	FINISH	RRP (INC. VAT)
02-TUO-080	100ml	Pure (enriches)	£15.50

SCRATCHFIX REPAIR KIT

Scratchfix offers a quick and easy method to restore scratches on resilient floors – an ideal solution to conceal accidental marks on our Brecon range.

CODE	RRP (INC. VAT)
21-FIX-001	£65



Perfect for
the Brecon
range




EXPERT KNOWLEDGE

TECHNICAL

A Woodpecker floor is beautiful when installed with consideration and care. The next few pages will help you with some useful tips.

If you need any further help, our Expert Team are happy to talk through any queries with you. Get in touch on 02920 888 223 or info@woodpeckerflooring.co.uk



INSTALLATION

PREPARATION

BEFORE DELIVERY

Ensure concreting, plastering and decorating are complete, the building is thoroughly dried out and windows and doors are fitted and watertight.

PREPARING THE SUBFLOOR

The subfloor must be in good structural condition, free from damp rot, fungal or insect infestation and contaminating residues. It must be flat, with bumps and dips not exceeding 3mm over a 2m area, vacuumed and free of debris. Hot pipes should be well insulated to prevent localised hotspots, which can cause warping or shrinkage.

LEVELLING THE FLOOR

If the subfloor needs to be levelled, apply our Level-X™ Primer followed by Level-X™ Self-Levelling Compound, which is fibre reinforced. Never use latex self-levelling compounds.

DAMP PROOFING

Moisture readings shouldn't exceed 70% RH for cement-based concrete (shouldn't exceed 65% RH when there's underfloor heating) and 11% WME for wooden subfloors or joists. If in doubt, always use a Woodpecker moisture barrier.

NB: The subfloor should be prepared for installation in accordance with the industry standards outlined in BS-8201-201

HEATING AND AIR CONDITIONING

Room temperature and humidity levels need to be stable before flooring is delivered. Heating/air conditioning should be on for at least two weeks before the floor is laid. Underfloor heating must be thoroughly tested, and turned off 48 hours before fitting.

ATMOSPHERIC CONDITIONS

Room temperature shouldn't be lower than 18°C (64°F), or floor temperature lower than 15°C (59°F). The Atmospheric Relative Humidity should be between 40 and 60%.

ACCLIMATISATION

The sealed, unopened boxes should be laid flat, in the centre of the room for 24 hours (Stratex®), 3-4 days (engineered/bamboo) or 5-7 days (solid), in typical living conditions. DO NOT store it outdoors, in an outbuilding, or anywhere with damp/condensation problems.

INSPECTION

Check each plank before installation. If there are any problems, get in touch with us so that we can rectify them. We can't consider any defects after the floor has been installed.



VISIT OUR WEBSITE FOR
FULL PREPARATION AND
INSTALLATION DETAILS:
[woodpeckerflooring.co.uk/
installation-instructions](http://woodpeckerflooring.co.uk/installation-instructions)

LAYING THE FLOOR

We recommend that our flooring is installed by an experienced fitter. If the flooring is laid over an existing boarded floor, it should be positioned at right angles to the previous planks. Otherwise we recommend laying planks in the same direction as the light entering the room, mixing lighter and darker shades. Fit according to installation instructions.

Disclaimer: Installation guidance is advisory and is based on established good practice and the BS-8201-2011 standard. It is the fitter's responsibility to follow these procedures before, during and after installation. Woodpecker cannot accept responsibility for any issues relating to installation.



EXPERT TIP

SUBFLOOR

A rule of thumb for the drying time of a sand and cement-based screed is one day per millimetre for the first 50mm, and 2.5 days for each millimetre thereafter. So, a 50mm screed should take about two months to dry out, and a 100mm screed will take six months. Plaster takes up to six weeks to dry completely.

ATMOSPHERIC CONDITIONS

The room temperature shouldn't be lower than 18°C (64°F), or the floor temperature lower than 15°C (59°F). The Atmospheric Relative Humidity should be between 40 and 60%. Note that wood floors are not suitable for wet rooms, or in areas where there is a regular flow of water.

MOISTURE TESTING

Moisture is the enemy of natural wood, and can damage your beautiful flooring. Even when your subfloor looks dry, it may contain excess moisture in the substrate. Using a professional moisture meter such as the Protimeter MMS will tell you whether or not it's safe to go ahead with installation. Readings shouldn't exceed:

- 70% Relative Humidity (RH)
for cement-based concrete
- 11% Wood Moisture Equivalent (WME)
for wooden subfloors or joists

INSTALLATION

FIXING

FULLY STUCK DOWN

Tongue and groove planks can be fixed directly to a concrete subfloor using Woodpecker MS Parquet Adhesive. Never glue the tongue and grooves together if you choose to fully stick down a wood floor as the boards could crack.

FLOATING

Floating a floor means the boards are laid loose over the subfloor if they're a clic system, and when floating a tongue & groove, the joints must be glued. A floating floor can be installed on concrete, anhydrite, existing wood floor, ceramic tiles, PVC and linoleum – but not carpet.

LOC SYSTEM

If possible, it's easiest to 'loc' the boards in complete rows rather than individually. When connecting the header joints, insert the board into the lip at an angle of 30° and at the same time move the board closer and lower into position. It should 'loc' into place. If it won't go, don't force it. Check the board for dirt, excess lacquer or any other obstruction, remove that, and try again.

FLOATING TONGUE AND GROOVE

When laying a floating floor, you should glue tongue and groove boards together for stability, and to stop squeaking. Run adhesive along the groove of the long side and header joint of a plank. Slide it towards the long edge of the facing tongue with the header joint connected, then tighten with a tapping block or pulling iron.

NAILING

A tongue and groove wood floor can be secret nailed to an existing timber subfloor or, as long as the flooring is 18mm or thicker, fixed directly to joists as a structural floor.

The subfloor must be of a suitable width and thickness to hold 50mm cleats fired into it at a 45° angle. Joists should be kiln dried to avoid cupping or expansion and must be spaced in accordance with building regulations. When secret nailing to the subfloor or joists, always use Woodpecker Moistop Barrier Paper, for additional moisture protection. Flooring should be fitted at 45° or 90° to the subfloor and nailed over every joist.

Never use adhesive to glue between boards if it's being nailed down. The glue will inhibit the natural flexibility of the flooring and could cause cracks.



EXPERT TIPS

DON'T OVERGLUE

Never glue the tongue and grooves together if you choose to fully stick down a wood floor. Too much pressure will be placed on the boards and they could crack.

IT'S NAILS OR GLUE, NOT BOTH

Never use adhesive to glue between boards if it's being nailed down. The glue will inhibit the natural flexibility of the flooring and could cause cracks.



Tongue and groove planks can be fixed directly to a concrete subfloor using Woodpecker MS Parquet Adhesive.



Floating a floor just means the boards are laid loose over the subfloor if they're a clic system, when floating a tongue & groove, the joints must be glued.



Tongue and groove planks can be secret nailed to a suitable existing timber subfloor.

INSTALLATION

QUICK
FITTING TIPS

To allow for expansion gaps, spacers should be used at regular intervals when fitting and then removed before skirting boards, beading or trims are put in place.

EXPANSION GAPS

As wood is a natural substance, it will expand and contract with changes in the temperature and humidity. Therefore, expansion gaps need to be left to allow the floor to move.

To determine how much space needs to be left:

- Expansion gaps for wooden and bamboo flooring should be 10-15mm regardless for floors measuring up to 8m in width. Thereafter, an extra 2mm per metre should be added for every extra meter.
- Stratex floors need 2-3mm expansion where there is likely to be moderate temperature variation beyond normal living conditions (temperatures between 15°C and 25°C). Extremes of heat may require even more expansion, and shielding from direct sunlight may be needed.
- Skirting boards and perimeter trims should be fixed to the wall and shouldn't obstruct the movement of the floor in any way.
- Please see pages 140-145 for our full range of trims that can be used to conceal your expansion gaps.



CALL OUR TEAM OF EXPERTS

If you need any further help, our Expert Team are happy to chat through any queries you have. You can reach us on 02920 888 223 or email us at info@woodpeckerflooring.co.uk.

UNDERFLOOR
HEATING

BEFORE INSTALLATION

- Turn off the underfloor heating for at least 48 hours prior to fitting the floor.
- Use expansion trims to allow for differential movement between heating zones, or unheated areas.



EXPERT TIPS

TEMPERATURE CONTROL

Ensure the system is calibrated so that the temperature to the underside of the wood floor never reaches more than 27°C, even if the thermostat setting is increased.

AFTERCARE

- Once fitted, the floor should be left to acclimatise for 2-3 days before the underfloor heating is turned on.
- When the heating is switched on it should be set at 1°C above the ambient temperature of the room and then raised by a further 1°C per day until the desired temperature is reached. Do not turn it on full straight away, this can cause the wood to shrink, expand or even crack.
- Gradual temperature changes should be continued, with 1°C changes per day to accommodate the changing seasons. Leave the heating permanently on at a slightly lower temperature setting when it is not required.



EXPERT TIPS

SLOW AND STEADY

When the heating is switched on it should be set at 1°C above the ambient temperature and then raised by a further 1°C per day until the desired temperature is reached. Do not turn it on full straight away. Raising and lowering the temperature too quickly can cause the wood to shrink, expand or even crack.

NEXT STEPS

See what you like?

—
Find your nearest retailer
or buy online at
woodpeckerflooring.co.uk



...or still undecided?

—
Order samples at
woodpeckerflooring.co.uk



—
Contact us for expert advice
info@woodpeckerflooring.co.uk
02920 888 223



—
View larger samples
at your nearest retailer



WOODPECKER FLOORING - TERMS & CONDITIONS OF SALE

In the unlikely event that goods are delivered wrong or damaged, it is the responsibility of the customer to ensure sufficient time is allowed for a replacement to be sent.

1. DEFINITIONS

In these terms and conditions, the following words shall have the following meanings:
"Buyer" shall mean any person, firm or company, to whom the Company supplies Goods or Services or with whom the Company enters into negotiations for the supply of Goods or Services.
"Company" shall mean Woodpecker Trading Co Ltd.
"Goods" shall mean products, articles or things which are supplied by or which are the subject of negotiations for supply by the Company to the Buyer.
"Services" shall mean services are supplied by or which are the subject of negotiations for supply by the Company to the Buyer.

2. MAKING THE CONTRACT

2.1 The Company's salesmen are not authorised representatives and are not authorised to accept confirm or vary any order nor to make any representation or promise on the Company's behalf.
2.2 Any estimate/quotation which comprises an invitation to treat is open for a period of 30 days only from the date thereof, provided that the Company has not previously withdrawn it. Any order issued by the Buyer is subject to acceptance by the Company and a contract will only be formed when the Company has accepted the Buyer's offer to buy in writing. Any offer made by the Buyer must be confirmed in writing by the Buyer.
2.3 All orders are placed under these terms and conditions alone.
2.4 These terms and conditions exclude any other terms and conditions inconsistent therewith which a Buyer might seek to impose even though such other terms and conditions may be submitted in a later document and/or purport to exclude or supersede any terms or conditions with them or may be contained in any offer acceptance or counter-offer made by the Buyer.
2.5 All floors supplied by the Company must be fitted in accordance with BS8201 (2011).
2.6 No variation of these terms and conditions is permitted unless expressly accepted by a Director of the company in writing.

3. CANCELLATION

3.1 No cancellation by the Buyer is permitted except where expressly agreed by a Director of the Company in writing.
3.2 The Buyer will in the event of agreed cancellation by the Buyer indemnify the Company fully against all expenses incurred up to the time of such cancellation together with by way of liquidated damages a sum of 33 1/3% of the contract price which shall be paid by the Buyer to the Company forthwith.

4. PRICE

4.1 All prices quoted are those ruling at the date of dispatch or supply.
4.2 Unless otherwise stated all prices quoted are net, exclusive of VAT, and in the case of Goods ex works.
4.3 The Company reserves the right at any time prior to delivery of the Goods or supply of Services to adjust the price to take account of any increase in the cost of raw materials, labour or services or any currency fluctuations affecting the cost of imported materials or services.

5. TERMS OF PAYMENT

5.1 All sums become due and payable under these terms and conditions not later than 20th of the month following date of invoice.
5.2 Time for payment shall be of the essence.
5.3 The Company reserves the right to charge interest at 2.5 per centum per month on all overdue accounts, such interest being deemed to accrue on a day to day basis from the due date for payment under clause 5.1.
5.4 If the Buyer (being a Company) has a petition for its winding-up or passes a resolution for voluntary winding-up otherwise than for the purpose of a bona fide amalgamation or reconstruction or compounds with its creditors or has a receiver appointed or all or any part of its assets or (being an individual) becomes bankrupt or insolvent or enters into any arrangement with its creditors or commits a material or serious breach of this Agreement (and in the case of such a breach being remediable fails to remedy it within 7 days of receiving notice to do so) he will be deemed to have repudiated the Contract.
5.5 The Company reserves the right at any time at its discretion to demand security for payment before continuing with or delivering any Order, supplying any Goods or Services.
5.6 The Buyer accepts that in the event of non-payment within the payment period the Company will resort to legal action to recover the debt in this instance a 20% surcharge will be added to the outstanding amount to cover administration and agents fees.
5.7 Where the Buyer is a company the directors agree to guarantee payment personally, both jointly and severally, of any outstanding amounts due in the event of their company being unable to meet its financial commitments or becoming insolvent.

6. DELIVERY

6.1 Delivery will be deemed to have been effected when the Goods are ready for collection at the premises of the Company or as the case may be the premises of the suppliers to the Company in circumstances where the Goods are delivered direct from such suppliers.
6.2 Time of delivery is not of the essence.
6.3 The Company shall not be liable for any loss whatsoever or howsoever arising caused by its non-delivery or by the failure to make Goods ready for collection on the due date.
6.4 The Company reserves the right to make delivery by instalments and to tender a separate invoice in respect of each instalment.
6.5 When delivery is to be by instalments or the Company exercises its right to deliver by instalments under clause 6.4 hereof or if there be delay in the delivery of any one or more instalments

for whatever reason this will not entitle the Buyer to treat the contract as repudiated and/or to damages.
6.6 Deviations in quantity between the Goods delivered and Goods ordered representing not more than 10 per cent by value shall not give the Buyer any right to reject the Goods or to claim damages and the Buyer shall be obliged to accept and pay at the contract rate for the quantity of the Goods delivered.

7. SUPPLY OF SERVICES

7.1 Time for the supply of Services is not of the essence.
7.2 The Company shall not be liable for any loss whatsoever or howsoever arising caused by its failure to supply Services or any part thereof on the due date.
7.3 The Company reserves the right to supply Services by instalments and to tender a separate invoice in respect of each instalment.
7.4 When the supply of Services is to be by instalments or the firm exercises its right to supply Services by instalments under clause 7.3 hereof or if there be a delay in the supply of any one or more instalments of Services for whatever reason this will not entitle the Buyer to treat the contract as repudiated or to damages.
7.5 Deviation in the quantity between Services supplied and the Services ordered representing not more than 10 per cent by value shall not give the Buyer any right to reject the Services or to claim damages and the Buyer shall be obliged to accept and pay at the contract rate for the quantity of the Services supplied.

8. RISK AND THE PASSING OF PROPERTY IN GOODS

8.1 Risk in the Goods shall pass to the Buyer when the Goods are delivered.
8.2 Notwithstanding risk in the Goods passing in accordance with clause 8.1 hereof title in the Goods shall not pass to the Buyer until whichever shall be the first to occur of the following:-
8.2.1 Payment being received by the Company for the Goods and Services and no other amounts then being outstanding from the Buyer to the Company in respect of other Goods or Services supplied by the Company.
8.2.2 The Buyer selling the Goods in accordance with the provisions of these terms and conditions in which case title to the Goods shall be deemed to have passed to the Buyer immediately prior to delivery of the Goods to the Buyer's customers; and
8.2.3 The Company waiving its rights under this clause 8.2 in respect of specified Goods or Services whereupon title to the said Goods shall forthwith vest in the Buyer.
8.3 The Buyer is licensed by the Company to use or to agree to sell the Goods delivered to the Buyer subject to the express condition that the entire proceeds of any sale are held in trust for the Company and are not mixed with other moneys or paid into an overdraft bank account and shall at all times be identifiable as the Company's moneys.
8.4 Until title to the Goods passes:
8.4.1 The Buyer will hold the Goods as fiduciary agent and Bailee for the Company;
8.4.2 The Goods shall, subject to clause 8.3, be kept separate and distinct from all other property of the Buyer and of third parties and in good and substantial repair and condition and be stored in such a way as to be clearly identifiable as belonging to the Company;
8.4.3 The Company may at any time revoke the power of sale and use contained in clause 8.3 by notice to the Buyer if the Buyer is in default beyond the 20th of the month following invoice in the payment of any sum whatsoever due to the Company (whether in respect of the Goods or any other Goods or Services supplied at any time by it to the Buyer) or if the Company has bona fide doubts as to the solvency of the Buyer;
8.4.4 The Buyer's power of sale and use contained in clause 8.3 shall automatically cease if the Buyer has a petition presented for its winding-up or passes a resolution for voluntary winding-up otherwise than for the purpose of a bona fide amalgamation or reconstruction or compounds with its creditors or has a receiver appointed of all or any part of its assets or becomes bankrupt or insolvent or enters into any arrangements with creditors or takes or suffers any similar action in consequence of debts or carries out or undergoes any analogous act or proceeding under foreign law;
8.4.5 upon determination of the Buyer's power of sale and use pursuant to clause 8.4.3 or clause 8.4.4. The Buyer shall place any of the Goods in its possession or under its control and unsold at the disposal of the Company and the Company shall be entitled to enter upon any premises of the Buyer for the purpose of removing such Goods.

8.5 The Company shall at any time be entitled to appropriate any payments made by the Buyer in respect of any Goods or Services in settlement of such invoices or accounts in respect of such Goods or Services as the Company may in its absolute discretion think fit notwithstanding any purported appropriation to the contrary by the Buyer.

9. LIEN AND STOPPAGE

9.1 Until such time as the title in the Goods has passed to the Buyer the Company has the right to withhold delivery if the Buyer (being a Company) has a petition presented for its winding-up or passes a resolution for voluntary winding-up otherwise than for the purpose of a bona fide amalgamation or reconstruction or compounds with its creditors or has a receiver appointed of all or any part of its assets or (being an individual) becomes bankrupt or insolvent or enters into any arrangements with creditors or takes or suffers any similar action in consequence of debts or carries out or undergoes any analogous act or proceedings under foreign law.
9.2 When the title in the Goods has passed to the Buyer and the time for payment has fallen due but payment has not been made or if the Buyer (being a Company) has a petition presented for its

winding-up or passes a resolution for voluntary winding-up otherwise than for the purposes of a bona fide amalgamation or reconstruction or compounds with its creditors or has a receiver appointed of all or any part of its assets or (being an individual) becomes bankrupt or insolvent or enters into any arrangements with creditors or takes or suffers any similar action in consequence of debts or carries out or undergoes any analogous act or proceedings under foreign law the Company has
9.2.1 A lien on the Goods as long as the Company is in possession of them
9.2.2 A right of stoppage in transit
9.2.3 A right of resale
9.3 For the avoidance of doubt it is hereby declared that nothing in this clause shall affect the rights given to the Company by ss.38-48 of the Sale of Goods Act 1979.

10. INSPECTION/SHORTAGES

10.1 The Buyer is under a duty to inspect the Goods forthwith on delivery and satisfy himself as to the due performance of Services forthwith after supply.
10.2 The Company shall be under no liability for any defects or shortages that would be apparent on careful inspection if the terms of this clause are not complied with, and, in any event will be under no liability if a written complaint is not delivered to the Company within 7 days of delivery or supply detailing the alleged defect or shortage.
10.3 In all cases where defects or shortages in respect of Goods are complained of the Company shall be under no liability in respect thereof unless an opportunity to inspect the Goods is given to the Company before any use is made thereof or any alteration or modification is made thereto by the Buyer.
10.4 Subject to clauses 10.2 and 10.3 the Company shall make good any defect or shortage in the Goods and where appropriate replace any Goods damaged in transit as soon as it is reasonably able to do so, but otherwise shall be under no liability whatsoever or howsoever arising from such defect, shortage or damage.
10.5 Subject to clause 10.4 the Company shall remedy any defect in the supply of Services as soon as it is reasonably able to do so but otherwise shall be under no liability whatsoever or howsoever arising from such defect

11. WARRANTY

11.1 The Buyer shall satisfy himself of the suitability of the Goods or Services for any particular use or purpose and shall be totally responsible
11.2 If the Goods are in such a state or the Services so defectively supplied as would but for this condition entitle the Buyer to repudiate the contract and/or claim damages from the Company the Company reserves the right to repair or replace the Good or perform the Service (or relevant part thereof) again.

12. LIABILITY

12.1 Introduction
12.1.1 Nothing in clause 12 shall be deemed to exclude or restrict the Company's liability for death or personal injury resulting from negligence.
12.1.2 Each of the sub-clauses in clause 12 is to be treated as separate and independent
12.1.3 The Company is willing to undertake liability additional to that provided by this clause in exchange for a higher price
12.2 Exclusion
12.2.1 Clause 12.2 only covers defects caused by faulty design, manufacture, materials or workmanship. It does not cover defects caused by abnormal use, misuse or neglect.
12.2.2 The Company agrees that if any defect covered by clause 12.2 is discovered during the warranty period commencing with the date of delivery or supply, the Company will remedy any defect at its own expense or, in the case of Goods if it chooses to do so, replace them.
12.2.3 The Buyer cannot claim the benefit of this clause unless -
- he informs the Company of the relevant defect in writing within 7 working days of discovering it.
12.2.3a The Company will not accept any liability for defects in goods once they have been fitted. It is the buyer's responsibility to check the goods prior to installation.
12.2.4 The risk of accidental loss whilst the Goods are being returned will be borne by the Buyer
12.2.5 In consideration for receiving the benefit of this clause, the Buyer agrees that, apart from those terms set out in clause 10 and 11, all other terms, whether conditions, warranties or innominate terms, express or implied, statutory or otherwise, are excluded from the contract between the Company and the Buyer to the extent permitted by law (except where the Buyer deals as consumer within section 12 of the Unfair Contract Terms Act 1977 when the terms implied by sections 13, 14 and 15 of the Sale of Goods Act 1979 shall be implied into the contract).
12.3 Exclusion of Consequential Loss
The Company shall not be liable for any consequential or indirect loss suffered by the Buyer whether this loss arises from breach of a duty in contract or tort or in any other way (including loss arising from the Company's negligence).
Non-exhaustive illustrations of consequential or indirect loss would be

- Loss of profits
- Loss of contracts
- Damage to property of the Buyer or anyone else, and
- Personal injury to the Buyer or anyone else (except so far as such injury is attributable to the Company's negligence)

12.4 Limitation

The Company's total liability for any one claim or for the total of all claims arising from any one act or default of the Company (whether arising from the Company's negligence or otherwise) shall not exceed £1000 Or the contract price whichever is the greater.

13. FORCE MAJEURE

13.1 The Company shall not be liable for any failure to deliver the Goods or perform the Services arising from circumstances outside the Company's control.
13.2 Non-exhaustive illustrations of such circumstances would be act of God, war, riot, explosion, abnormal weather conditions, fire, flood, strikes, lockouts, Government action or regulations (UK or otherwise), delay by suppliers, accidents and shortage of materials, labour or manufacturing facilities.
13.3 Should the Company be prevented from delivering the Goods or performing the Services in the above circumstances, it shall give the Buyer written notice of this fact as soon as reasonably practicable after discovering it.
13.4 If the circumstances preventing delivery of the Goods or performing the Services are still continuing three months after the Buyer receives the Company's notice, then either party may give written notice to the other cancelling the contract.
13.5 If the contract is cancelled in this way, the Company will refund any payment which the Buyer has already made on account of the price (subject to deduction of any amount the Company is entitled to claim from the Buyer) but the Company will not be liable to compensate the Buyer for any further loss or damage caused by the failure to deliver the Goods or perform the Services.

14. SALES PROMOTION DOCUMENTATION

Whilst the Company takes every precaution in the preparation of its catalogue, technical circulars, price lists and its other literature, these documents are for the Buyer's general guidance only and the particulars contained therein shall not constitute representations by the Company and the Company shall not be bound thereby.

15. NOTICES

Any notice to be given hereunder shall be in writing and shall be deemed to have been duly given if sent or delivered to the party concerned at its address specified overleaf or such other address as that party may from time to time notify in writing and shall be deemed to have been served, if sent by post, 48 hours after posting.

16. CANCELLATION

The Company is prepared to accept the cancellation of a contract provided that it is in writing and is received by the Company:
(a) In the case of special orders before the manufacture of the goods has commenced;
(b) In the case of goods ordered from stock before the goods have been despatched.
(c) But subject to liability for any losses incurred by the Company in disposing of the goods.
(d) In the event goods have been delivered within 30 days prior to cancellation, a restocking charge of 20% of the goods returned will be made by the company on values above £50 before VAT only.

17. MATCHING

For technical reasons it is not always possible to obtain an exact colour match between different production batches which have the same colour description. The Company therefore recommends that all products should be of the same batch. The Company will be under no liability whatsoever in respect of any mismatching of tiles and sheet with the same colour description where the tiles and sheet are of different batches.

18. ADVICE AND WARNINGS

(a) Without prejudice to any of the Company's rights under these terms or common law or statute the Company shall not be liable for any loss or damage suffered by the Buyer or any third party as a result of failure to follow any of the Company's recommendations with regard to the goods.

19. STILETTO HEELS

Where Stiletto heeled shoes are in use, floors are liable to suffer damage from intense point loading pressure. We therefore cannot be held responsible for any loss in appearance where such heels are in use.

20. SUITABILITY OF GOODS

If requested in writing to do so, we will use our utmost endeavours to give sound and honest advice as to the suitability of goods sold to us for a particular use or purpose, but we do not represent or warrant (and nobody has authority to represent or warrant) the fitness of any goods for any particular purpose or use, whether such use or purpose is known to us or not or any advice requested regarding installation.

21. ASSIGNMENT

The Buyer shall not assign or purport to assign or transfer the contract or the benefits thereof to any other person without prior written consent of the other.

22. PROPER LAW AND JURISDICTION

The Contract shall be governed by and construed in accordance with English law and all disputes arising in connection with the Contract shall be submitted to the jurisdiction of the English Courts.

23. HEADINGS

The headings of these conditions are for convenience only and shall have no effect on the interpretation thereof.

Revision Date: September 2020
Woodpecker Flooring, Coerphilly CF83 8DR
Tel: 02920 888223

Woodpecker Flooring reserves the right to update and amend these terms and conditions without notice.

We hope we've been
able to help you find
the perfect floor.

From our family to yours... for 100 years.

Woodpecker

PHOTOGRAPHY PROP CREDITS

Rustic bench –
(Harlech, Feather Oak)
www.thefigstore.com

Painting –
(Design Panels, Natural Oak)
www.gallerybr.co.uk

Paintings –
(Design Panels, Antique Oak)
danhobday.com

Paintings, olive oil jars, wire basket –
(Goodrich, Smoked Oak)
www.annefowler.co.uk

School chairs –
(Goodrich, Smoked Oak)
www.lowlandsbristol.com

Sheepskin footstool –
(Goodrich, Natural)
www.gallerybr.co.uk

Robin Day sideboard –
(Goodrich, Biscotti)
www.orangeandbrown.co.uk

PLEASE HELP US CARE FOR THE
ENVIRONMENT BY RECYCLING THIS
WHEN YOU ARE DONE



WOODPECKER

NATURALLY INSPIRED FLOORING

Woodpecker House,
26 Pant Glas Industrial Estate,
Bedwas, Caerphilly
CF83 8DR

T: 02920 888 223
F: 02920 881 694

info@woodpeckerflooring.co.uk
www.woodpeckerflooring.co.uk

Woodpecker Flooring
1436 South Director St.
Seattle
WA 98108

T: 206 929-5029

sales@woodpeckerflooring.com
www.woodpeckerflooring.com

ANY QUESTIONS

Our Woodpecker experts
are ready to help and look
forward to advising you on
any element of your project
by phone, email or livechat.

